





<p>CONHYB015</p>	<p>Hybrid DJ HMC2</p>  <p>NEW PRODUCT</p>	<p>2 Channel + Mic DJ Controller Includes Full Version of Virtual DJ8 / Home Edition Software on a USB key Onboard Gain Control / Channel Bass, Mid & Treble EQ Control 16 Large Effects Pads Dedicated Filters on Each Channel Large 5" Jog Wheels USB Powered Balanced Line Outputs Metal with Retro Walnut Casing Includes Vinyl Carry Bag</p>	<p>4992</p>
<p>CONHYB016</p>	<p>Hybrid DJ HMC4</p>  <p>NEW PRODUCT</p>	<p>4 Channel + Mic DJ Controller Includes Full Version of Virtual DJ8 / Home Edition Software on a USB key Onboard Gain Control / Channel Bass, Mid & Treble EQ Control 16 Large Effects Pads Dedicated Filters on Each Channel Large 5" Jog Wheels USB Powered Balanced Line Outputs Metal with Retro Walnut Casing Includes Vinyl Carry Bag</p>	<p>5777</p>
<p>LIGHYB071</p>	<p>Hybrid+ Mini 1024</p>  <p>NEW PRODUCT</p>	<ul style="list-style-type: none"> *1024 channels with 2 individual optical isolated DMX outputs and Net-work interface * 7" TFT-LCD touch screen for operating * 3 colour (RGY) backlit keys. 4 optical backlit encoders * 1000 playbacks, executed by 15 playback faders×40 pages and 20 playback keys×20 pages * Maximum 400 Units for patching all kinds of Fixtures * 400 Groups. 400 Pre-sets. 400 Macros * 400 User-Defined Shape Effects * Shortcut area provides a quick way for selecting Fixtures, Groups, Pre-sets or Custom Shape Effects 	<p>27667</p>
<p>LIGHYB072</p>	<p>Hybrid+ Master 4096</p>  <p>NEW PRODUCT</p>	<ul style="list-style-type: none"> * 4096 channels with 6 individual optical isolated DMX outputs and Net-work interfaces capable of 8 universes * 400 Units for patching all kinds of Fixtures * Fixtures within 80 channels are available * 10.4" TFT-LCD touch screen for operating *VGA interface for external monitor to display more edited information * 1120 playbacks can be programmed which controlled by 24 playback faders×30 pages together with 20 playback keys ×20 pages 	<p>53976</p>
<p>LIGHYB068</p>	<p>Hybrid HMH 100B</p>  <p>NEW PRODUCT</p>	<p>80W Beam Fixture with 11 Static Gobo's, 9 Fixed Colours, 8 Facet Rotating Prism, DMX, Master/Slave, Auto and Sound to Light</p> <p>Sold 4 Units in a Flight Case</p>	<p>33541</p>
<p>LIGHYB069</p>	<p>Hybrid HMH 100S FX</p>  <p>NEW PRODUCT</p>	<p>80W Spot Fixture with 9 Static Gobo's, 9 Fixed Colours, 3 Facet Rotating Prism, DMX, Master/Slave, Auto and Sound to Light</p> <p>Sold 4 Units in a Flight Case</p>	<p>31494</p>
<p>LIGHYB070</p>	<p>Hybrid HMH 100W FX</p>  <p>NEW PRODUCT</p>	<p>3x40w Effects Fixture with Motorized Zoom (8-55°) DMX, Master/Slave, Auto and Sound to Light</p> <p>Sold 4 Units in a Flight Case</p>	<p>35591</p>

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
------------	---------------	-------------	-------------

<p>MICHYB067</p> 	<p>Hybrid U-SF B Handheld</p> 	<ul style="list-style-type: none"> • Handheld UHF Fixed Frequency Wireless Microphone • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>933</p>
<p>MICHYB068</p> 	<p>Hybrid U-SF B Lapel</p> 	<ul style="list-style-type: none"> • Lapel UHF Fixed Frequency Wireless Microphone • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>933</p>
<p>MICHYB069</p> 	<p>Hybrid U-SF B Headset</p> 	<ul style="list-style-type: none"> • Headset UHF Fixed Frequency Wireless Microphone • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1007</p>
<p>MICHYB070</p> 	<p>Hybrid U-DF B 2 X Handheld</p> 	<ul style="list-style-type: none"> • Dual Handheld UHF Fixed Frequency Wireless Microphone • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1252</p>
<p>MICHYB071</p> 	<p>Hybrid U-DF B Handheld + Lapel</p> 	<ul style="list-style-type: none"> • Handheld + Lapel UHF Fixed Frequency Wireless Mic • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1252</p>
<p>MICHYB072</p> 	<p>Hybrid U-DF B Handheld+Headset</p> 	<ul style="list-style-type: none"> • Handheld + Headset UHF Fixed Frequency Wireless Mic • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1402</p>
<p>MICHYB073</p> 	<p>Hybrid U-SV B Handheld</p> 	<ul style="list-style-type: none"> • Handheld UHF Variable Frequency Wireless Microphone • 2 x Groups w 10 Channels/Group = 20 Selectable Freq • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1243</p>
<p>MICHYB074</p> 	<p>Hybrid U-SV B Lapel</p> 	<ul style="list-style-type: none"> • Lapel UHF Variable Frequency Wireless Microphone • 2 x Groups w 10 Channels/Group = 20 Selectable Freq • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1243</p>
<p>MICHYB075</p> 	<p>Hybrid U-SV B Headset</p> 	<ul style="list-style-type: none"> • Headset UHF Variable Frequency Wireless Microphone • 2 x Groups w 10 Channels/Group = 20 Selectable Freq • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1313</p>

STOCK CODE

BRAND / MODEL

DESCRIPTION

RETAIL
INCL

<p>MICHYB076</p> 	<p>Hybrid U-DV B 2 x Handheld</p> 	<ul style="list-style-type: none"> • Dual Handheld UHF Variable Frequency Wireless Mic • 2 x Groups w 10 Channels/Group = 20 Selectable Freq • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1638</p>
<p>MICHYB077</p> 	<p>Hybrid U-DV B Handheld + Lapel</p> 	<ul style="list-style-type: none"> • Handheld + Lapel UHF Variable Frequency Wireless Mic • 2 x Groups w 10 Channels/Group = 20 Selectable Freq • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1638</p>
<p>MICHYB078</p> 	<p>Hybrid U-DV B Handheld + Headset</p> 	<ul style="list-style-type: none"> • Handheld + Headset UHF Variable Frequency Wireless Mic • 2 x Groups w 10 Channels/Group = 20 Selectable Freq • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1768</p>
<p>AMPHYB055</p> 	<p>Hybrid PA80DC</p> 	<p>PA Amplifier, 220VAC or 12V DC Operational, 100V Line Distribution , 65 Watt RMS, 2 Mics and 1 Line, Bass & Treble EQ, MP3 Player</p>	<p>1275</p>
<p>MICHYB007</p> 	<p>Hybrid U-AV</p> 	<p>Aerobics Headset Microphone, Fixed Frequency, VHF</p>	<p>1730</p>
<p>MONHYB002</p> 	<p>Hybrid U-MV MKII</p> 	<p>UHF, True Diversity, 16 Variable Freq, In-Ear Monitor</p>	<p>3735</p>
<p>MONHYB003</p> 	<p>Hybrid U-MV MKII BELTPACK RECEIVER & IN-EAR MONITORS</p> 	<p>Beltpack Receiver & In-Ear monitors for U-MV MKII</p>	<p>1568</p>

HYBRID PUBLIC ADDRESS AMPLIFIERS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
------------	---------------	-------------	-------------



AMPHYB025	Hybrid PA30M	PA Amplifier, 100V Line Distribution , 20 Watt RMS, 1 Mic and 1 Line, MP3 Player	757
AMPHYB024	Hybrid PA30DC	PA Amplifier, 220VAC or 12V DC Operational, 100V Line Distribution , 20 Watt RMS, 1 Mic and 1 Line, MP3 Player	942
AMPHYB055	Hybrid PA80DC	PA Amplifier, 220VAC or 12V DC Operational, 100V Line Distribution , 65 Watt RMS, 2 Mics and 1 Line, Bass & Treble EQ, MP3 Player	1274
			
AMPHYB026	Hybrid PA100M	PA Amplifier, 70V / 100V Line Distribution , 60 Watt RMS Class D, 2 Mic and 1 Line, 2 Zone, MP3 Player	1707
AMPHYB027	Hybrid PA150M	PA Amplifier, 70V / 100V Line Distribution , 100 Watt RMS Class D, 2 Mic and 1 Line, 2 Zone, MP3 Player	1982
AMPHYB050	Hybrid PA200M	PA Amplifier, 70V / 100V Line Distribution , 200 Watt RMS Class D, 2 Mic and 1 Line, 4 Zone, MP3 Player	2791
AMPHYB048	Hybrid PA500M	PA Amplifier, 70V / 100V Line Distribution , 500 Watt RMS Class D, 2 Mic and 1 Line, 4 Zone, MP3 Player	3807
AMPHYB049	Hybrid PA600M	PA Amplifier, 70V / 100V Line Distribution , 600 Watt RMS Class D, 2 Mic and 1 Line, 4 Zone, MP3 Player	4064
AMPHYB028	Hybrid IA200	Stereo Installation Amplifier , 2 x 225 Watt RMS Class D, 3 Mic/Line Inputs, MP3 Player, Bass/Mid/Treble EQ	2851
AMPHYB029	Hybrid IA400	Stereo Installation Amplifier , 2 x 325 Watt RMS Class D, 3 Mic/Line Inputs, MP3 Player, Bass/Mid/Treble EQ	3960

HYBRID PUBLIC ADDRESS CEILING MOUNT SPEAKERS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
SPEHYB121	Hybrid CL6 	6", 6Watt, 100V Full Range Ceiling Mount Speaker	180
SPEHYB122	Hybrid CL8 	8", 10Watt, 100V Full Range Ceiling Mount Speaker	226
SPEHYB157	Hybrid CL5B 	5", 6Watt, 100V Full Range Ceiling Mount Speaker with Metal Back Cover	286
SPEHYB158	Hybrid CL6B 	6", 6Watt, 100V Full Range Ceiling Mount Speaker with Metal Back Cover	372
SPEHYB123	Hybrid CH6 	6", 30W with tappings (30/15/7.5/3.8W), Co-axial 100V Ceiling Mount SP	474
SPEHYB124	Hybrid CH8 	8", 40W with tappings (40/20/10/5W), Co-axial 100V Ceiling Mount SP	558
SPEHYB160	Hybrid CH5B 	5" Coaxial ceiling mount speaker with metal back cover. 20watt, 70/100v Line or 8 Ohm	586
SPEHYB161	Hybrid CH6B 	6" Coaxial ceiling mount speaker with metal back cover. 30watt, 70/100v Line or 8 Ohm	713
SPEHYB162	Hybrid CH8B 	8" Coaxial ceiling mount speaker with metal back cover. 40watt, 70/100v Line or 8 Ohm	857

HYBRID PUBLIC ADDRESS WALL MOUNT SPEAKERS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
SPEHYB126	Hybrid W4 White	4" 2Way Wall Mount speaker, 15W with 100V tappings (15/10/5/2.5W) or 8Ohm	736
SPEHYB127	Hybrid W4 Black	4" 2Way Wall Mount speaker, 15W with 100Vtappings (15/10/5/2.5W) or 8Ohm	736
SPEHYB128	Hybrid W5 White 	5" 2Way Wall Mount speaker, 30W with 100V tappings (30/15/7.5/3.7W) or 8Ohm	814
SPEHYB129	Hybrid W5 Black 	5" 2Way Wall Mount speaker, 30W with 100V tappings (30/15/7.5/3.7W) or 8Ohm	814
SPEHYB130	Hybrid W6 White	6" 2Way Wall Mount speaker, 40W with 100V tappings (40/20/10/5W) or 8Ohm	1044
SPEHYB131	Hybrid W6 Black	6" 2Way Wall Mount speaker, 40W with 100V tappings (40/20/10/5W) or 8Ohm	1044
SPEHYB132	Hybrid W8 White	8" 2Way Wall Mount speaker, 60W with 100Vtappings (60/30/15/7.5W) or 8Ohm	1689
SPEHYB133	Hybrid W8 Black	8" 2Way Wall Mount speaker, 60W with 100Vtappings (60/30/15/7.5W) or 8Ohm	1689

HYBRID PUBLIC ADDRESS HORN SPEAKERS / HORN PROJECTOR

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
------------	---------------	-------------	-------------

SPEHYB159	Hybrid SP5		5" Uni-Directional Weatherproof (IP55) ABS projector speaker, 30watt (100v Line or 8Ohm)	1144
HORHYB006	Hybrid H15		Horn, 15Watt with 100V tappings (15/7.5/3.8/1.9W) or 8Ohm	610
HORHYB007	Hybrid H30		Horn, 30Watt with 100V tappings (30/15/7.5/3.8W) or 8Ohm	736
HORHYB010	Hybrid H30A	 	10" Aluminium Horn speaker, IP65 waterproof, 30watt, 100/70v Line or 8Ohm	837
HORHYB009	Hybrid H50A	 	12" Aluminium Horn speaker, IP65 waterproof, 50watt, 100/70v Line or 8Ohm	1004
HORHYB008	Hybrid H80		Horn, 80Watt / 100V	2280

HYBRID PUBLIC ADDRESS VOLUME CONTROL

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
VOLHYB001	Hybrid V5		80
VOLHYB002	Hybrid V30		128
VOLHYB003	Hybrid V60		180

HYBRID INSTALLATION CABLE

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
CABHYB088	Hybrid Ripcord 0.5 mm	Ripcord,2-core,Copper Dia 2 x 1.0mm, Outter Diameter 2 x 2.5mm, 100 Meter Roll, White in Colour	285
CABHYB089	Hybrid Ripcord 0.75 mm	Ripcord,2-core,Copper Dia 2 x 1.0mm, Outter Diameter 2 x 3mm, 100 Meter Roll, White in Colour	395
CABHYB090	Hybrid Ripcord 1.0 mm	Ripcord,2-core,Copper Dia 2 x 1.0mm, Outter Diameter 2 x 3.5mm, 100 Meter Roll, White in Colour	533

HYBRID POWER AMPLIFIERS - A SERIES

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
	A SERIES MK5	<ul style="list-style-type: none"> • Complete DSP functions • HPF and LPF Crossover • 9 x Filters - PEQ, Low Shelve, High Shelve • Time Alignment Delay • Compressor / Limiter • Gain and Phase • Password Protected • 30 Preset Locations - Store and Recall • On-Board or PC Control 	
AMPHYB021	Hybrid A1600MK5	2 X 800W RMS @ 40hm, DSP with PC Software	8198
AMPHYB022	Hybrid A2200MK5	2 X 1100W RMS @ 40hm, DSP with PC Software	9885
AMPHYB023	Hybrid A4000MK5	2 X 2000W RMS @ 40hm, DSP with PC Software	15277

HYBRID POWER AMPLIFIERS - B SERIES MK6


STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
AMPHYB051	Hybrid B1200MK6	 2 X 600W RMS @ 40hm, LCD Display	4968
AMPHYB052	Hybrid B1800MK6	 2 X 900W RMS @ 40hm, LCD Display	6026
AMPHYB053	Hybrid B2400MK6	 2 X 1200W RMS @ 40hm, LCD Display	7050
AMPHYB054	Hybrid B4000MK6	 2 X 2000W RMS @ 40hm, LCD Display	9168




HYBRID ACTIVE PERSONAL MONITORS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
------------	---------------	-------------	-------------

SPEHYB165	Hybrid+ PM FOUR (OAK) 	4" Active + Passive Bookshelve Speakers, Bluetooth, RCA Input & Remote (OAK COLOUR)	3282
SPEHYB166	Hybrid+ PM FOUR (MAHOGANY) 	4" Active + Passive Bookshelve Speakers, Bluetooth, RCA Input & Remote (MAHOGANY COLOUR)	3282
SPEHYB167	Hybrid+ PM FIVE (OAK) 	5" Active + Passive Bookshelve Speakers, Bluetooth, RCA Input & Remote (OAK COLOUR)	3979
SPEHYB168	Hybrid+ PM FIVE (MAHOGANY) 	5" Active + Passive Bookshelve Speakers, Bluetooth, RCA Input & Remote (MAHOGANY COLOUR)	3979
SPEHYB143	Hybrid HF5 	Arriving Mid June 5" Full Range Active + Passive Personal Monitors with Bluetooth Connectivity. Mic and Aux Inputs. Tone and Volume Controls. 50Watt RMS. Black Wooden Veneered Finish.	2485
SPEHYB144	Hybrid HF6 	Arriving Mid June 6" Full Range Active + Passive Personal Monitors with Bluetooth Connectivity. Mic and Aux Inputs. Tone and Volume Controls. 60Watt RMS. Black Wooden Veneered Finish.	2845

HYBRID ACTIVE SPEAKER COMBOS


STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
COMHYB005	Hybrid Party Starter 15 	1 x 15" Active Speaker, 1 x 15" Passive Speaker, 2 x Speaker Stands, Mic and Cables Combo	6121
COMHYB001	Hybrid Party Box 12 	2 x 12" Active Speakers, 2 x Stands, Mic and Cables Combo	6663

COMHYB002	Hybrid Party Box 15		2 x 15" Active Speakers, 2 x Stands, Mic and Cables Combo	7315
COMHYB003	Hybrid Party Sub 12		1 x 12" Active Sub-Bass and Cables	4017
COMHYB004	Hybrid Party Sub 18		1 x 18" Active Sub-Bass and Cables	5198

HYBRID BATTERY OPERATED ABS SPEAKER ENCLOSURES

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
SPEHYB136	Hybrid KW4L  	Portable, Battery Operated 4" Full Range, with Bluetooth and Light Show. 15 Watt RMS. White in Colour	525
SPEHYB137	Hybrid KB4M  	Portable, Battery Operated 4" Full Range, with Bluetooth and USB. 15 Watt RMS. Black in Colour.	439
SPEHYB138	Hybrid PA6B  	Portable, Battery Operated 6" Full Range, with Bluetooth. External Mic Input. 25 Watt RMS. Battery Duty Cycle - 6 Hour at Max Output.	992
SPEHYB139	Hybrid PA8B 	Portable, Battery Operated 8" Full Range, with Bluetooth, USB, FM Radio, Wireless VHF Microphone. Bass, Mid and Treble EQ Controls. Aux Input (RCA and 3.5mm Jack), External Mic Input and Line XLR Output. 40 Watt RMS. Battery Duty Cycle - 6 Hour at Max Output.	1890
SPEHYB142	Hybrid TRAVELITE 8 	Portable, Battery Operated 8" Full Range, with Bluetooth, USB, FM Radio. Guitar, Mic and Aux Inputs. 60 Watt RMS. Retractable Handle and Wheels. Battery Duty Cycle - 6 Hour at Max Output.	2860
SPEHYB140	Hybrid PA12B 	Portable, Battery Operated 12" Full Range, with Bluetooth, USB, FM Radio, Wireless VHF Microphone and IR Remote control. Bass, Mid and Treble EQ Controls. Aux Input (RCA and 3.5mm Jack), External Mic Input and Line XLR Output. 75 Watt RMS. Battery Duty Cycle - 6 Hour at Max Output.	3323
SPEHYB141	Hybrid PA15B 	Portable, Battery Operated 15" Full Range, with Bluetooth, USB, FM Radio, Wireless VHF Microphone and IR Remote control. Bass, Mid and Treble EQ Controls. Aux Input (RCA and 3.5mm Jack), External Mic Input and Line XLR Output. 75 Watt RMS. Retractable Handle and Wheels. Battery Duty Cycle - 6 Hour at Max Output.	3817

HYBRID ABS ACTIVE SPEAKER ENCLOSURES

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
SPEHYB004	Hybrid PB12/A 	Plastic moulded, powered 12" 220W	2960
SPEHYB005	Hybrid PB15/A	Plastic moulded, powered 15" 340W	3845

SPEHYB086	Hybrid PB15AUB		Plastic moulded, powered 15" 340W, USB and Bluetooth	4116
-----------	----------------	--	--	------

HYBRID ABS PASSIVE SPEAKER ENCLOSURES

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
SPEHYB001	Hybrid PB8/N	Plastic moulded 8" 110W	1271
SPEHYB035	Hybrid PB8N/100V	Plastic moulded 8" 110W, 30 Watt 100v	1502
SPEHYB052	Hybrid PM12 - REDUCED PRICE	Plastic Moulded 12" 170WATT- 12" 150WRMS and HT20 HF	1603
SPEHYB053	Hybrid PM15 - REDUCED PRICE	Plastic Moulded 15" 220WATT- 15" 200WRMS and HT20 HF	1927
SPEHYB002	Hybrid PB12/N	Plastic moulded 12" 200WRMS + HT40 1" 40 WATT HF	1821
SPEHYB003	Hybrid PB15/N	Plastic moulded 15" 250WRMS + HT40 1" 40 WATT HF	2352
SPEHYB003	Hybrid PB15/N	 TAKE 10 OR MORE - 10% DISCOUNTED PRICE	2100
SPEHYB038	Hybrid PB215N	Plastic moulded 2 X 15" 250WRMS + HT40 1" 40 WATT HF	3180

HYBRID WOODEN PASSIVE SPEAKER ENCLOSURES

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
SPEHYB027	Hybrid PLB12 MKIII	12" 220W Supa-wood, Polyurathane Finish	2678
SPEHYB030	Hybrid PLB15 MKIII	15" 340W Supa-wood, Polyurathane Finish	3374
SPEHYB031	Hybrid PLB215 MKIII	2 x 15" 650W Supa-wood, Polyurathane Finish	4601
SPEHYB032	Hybrid LB15 MKIII	Supa-wood, Polyurathane Finish, 15" 400W Bass Bin	3848
SPEHYB033	Hybrid LB18 MKIII	Supa-wood, Polyurathane Finish, 18" 600W Bass Bin	5415
SPEHYB036	Hybrid LB218 MKIII	Supa-wood, Polyurathane Finish, Dual 18" 800W Bass	8112

HYBRID+ SPEAKER ENCLOSURES

Hybrid+ Passive Speakers - PK SERIES (FULL RANGE)

- CNC Fabricated / Birch Plywood Cabinets
- European Drivers (www.celtopro.com)
- Original Neutrik Speakon NL4
- Hexion. USA Coarse - Textured Black Coating (Environment Friendly)
- M8 Fly-points
- 35mm Top-hats

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
SPEHYB145	Hybrid+ PK15MKII	 15" 2-Way and 1"HF, Celto Acoustique Drivers, 350W RMS ON SPECIAL, ENDING SOON, NORMAL DEALER R 3575	5482
SPEHYB022	Hybrid+ PK15MAX	 15" 2-Way and 1"HF, Celto Acoustique Drivers, 400W RMS ON SPECIAL, ENDING SOON, NORMAL DEALER R 4366	6358
SPEHYB147	Hybrid+ PK152MKII	 2 X 15" 2-Way and 1"HF, Celto Acoustique Drivers, 700WRMS ON SPECIAL, ENDING SOON, NORMAL DEALER R 5420	8127

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
SPEHYB146	Hybrid+ PK18SMKII	 18" Sub-Bass, Celto Acoustique Driver, 3.5" Voice Coil, 900W RMS ON SPECIAL, ENDING SOON, NORMAL DEALER R 4819	6831


SPEHYB148	<p>Hybrid+ PK218SMKII</p> 	<p>2 X 18" Sub-Bass, Celto Acoustique Drivers, 3.5" Voice Coils, 1800W RMS ON SPECIAL, ENDING SOON, NORMAL DEALER R 7680</p>	11604
-----------	--	--	-------

HP SERIES			
STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL

SPEHYB164	<p>Hybrid+ HP8</p> 	<p>8" High-Power 2-Way Full Range, Point Source or Floor Monitor, Celto Acoustique Loaded, Birch-Ply & Ultratex (USA) Textured Black Finish, 7 x M8 Flypoints, Dual Angle Top-Hat, Genuine Neutrik, 300W RMS, 8Ohm ON SPECIAL, ENDING SOON, NORMAL DEALER R 3615</p>	5177
-----------	--	--	------

SPEHYB006	<p>Hybrid+ HP12</p> 	<p>12" High-Power 2-Way Full Range, Point Source or Floor Monitor, Celto Acoustique Loaded, Birch-Ply & Ultratex (USA) Textured Black Finish, 7 x M8 Flypoints, Dual Angle Top-Hat, Genuine Neutrik, 450W RMS, 8Ohm, Sen: 98dB/1W/1m, Cal Max SPL:125dB RMS / 131dB Peak ON SPECIAL, ENDING SOON, NORMAL DEALER R 4517</p>	6573
-----------	---	--	------

SPEHYB014	<p>Hybrid+ HP15</p> 	<p>15" High-Power 2-Way Full Range, Point Source or Floor Monitor, Celto Acoustique Loaded, Birch-Ply & Ultratex (USA) Textured Black Finish, 7 x M8 Flypoints, Dual Angle Top-Hat, Genuine Neutrik, 600W RMS, 8Ohm, Sen: 99dB/1W/1m, Cal Max SPL:127dB RMS / 133dB Peak ON SPECIAL, ENDING SOON, NORMAL DEALER R 5501</p>	8460
-----------	--	--	------





SPEHYB015	<p>Hybrid+ HP152</p> 	<p>Dual 15" High-Power 2-Way Full Range, Celto Acoustique Loaded, Birch-Ply & Ultratex (USA) Textured Black Finish, Genuine Neutrik, 1000W RMS, 4Ohm, Sen: 101dB/1W/1m, Cal Max SPL:131dB RMS / 137dB Peak ON SPECIAL, ENDING SOON, NORMAL DEALER R 8130</p>	11998
-----------	--	--	-------

SPEHYB153	<p>Hybrid+ HP18X</p> 	<p>18" High-Power Sub-Bass, Bandpass Horn Design, Low Sub-Bass 28Hz Extension, Celto Acoustic Loaded, Heavily Braced Birch-Ply & Ultratex (USA) Textured Black Finish, M20 Threaded Pole Adaptor, Genuine Neutrik, 1500W RMS, 8Ohm, Sen: 101dB/1W/1m, Cal Max SPL: 133dB RMS / 139dB Peak ON SPECIAL, ENDING SOON, NORMAL DEALER R 7727</p>	10221
-----------	--	---	-------

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
SPEHYB154	<p>Hybrid+ HP218</p> 	<p>Dual 18" High-Power Sub-Bass, Celto Acoustic Loaded, Heavily Braced Birch-Ply & Ultratex (USA) Textured Black Finish, M20 Threaded Pole Adaptor, Genuine Neutrik, 2200W RMS, 4Ohm, Sen: 101dB/1W/1m, Cal Max SPL: 134dB RMS / 140dB Peak ON SPECIAL, ENDING SOON, NORMAL DEALER R 10540</p>	15099

SPEHYB155	 <p>Hybrid+ HP218X</p>	<p>Dual 18" High-Power Sub-Bass, Bandpass Horn Design, Low Sub-Bass 28Hz Extension, Celto Acoustic Loaded, Heavily Braced Birch-Ply & Ultratex (USA) Textured Black Finish, M20 Threaded Pole Adaptor, Genuine Neutrik, 3000W RMS, 4Ohm, Sen: 104dB/1W/1m, Cal Max SPL: 140dB RMS / 146dB Peak</p> <p>ON SPECIAL, ENDING SOON, NORMAL DEALER R 13250</p>	18978
-----------	--	---	-------

CELTO ACOUSTIQUE AMPLIFICATION

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
AMPCEL001	 <p>CELTO Acoustique P2.25</p>	<p>CELTO Acoustique Performance Series, Two Channel Power Amplifier , Hybrid Toroidal Transformer PSU & High Speed, High Current Class D Output Stages. 2 x 1300wrms@8Ω, 2 x 2500wrms@4Ω</p> <p>ON SPECIAL, ENDING SOON, NORMAL DEALER R 6865</p>	10255
AMPCEL002	 <p>CELTO Acoustique P4.14</p>	<p>CELTO Acoustique Performance Series, Four Channel Power Amplifier , Hybrid Toroidal Transformer PSU & High Speed, High Current Class D Output Stages. 4 x 800wrms@8Ω, 4 x 1400wrms@4Ω, 2 x 2800wrms@4Ω (Bridge)</p> <p>ON SPECIAL, ENDING SOON, NORMAL DEALER R 8579</p>	12814
AMPCEL003	 <p>CELTO Acoustique T2.4</p>	<p>CELTO Acoustique Touring Series, Two Channel Power Amplifier , Switch Mode Push-Pull PSU & High Speed, High Current Class D Output Stages. 2 x 2500wrms@8Ω, 2 x 4000wrms@4Ω</p> <p>ON SPECIAL, ENDING SOON, NORMAL DEALER R 17697</p>	26904
AMPCEL004	 <p>CELTO Acoustique T4.26</p>	<p>CELTO Acoustique Touring Series, Four Channel Power Amplifier , Switch Mode Push-Pull PSU & High Speed, High Current Class D Output Stages. 4 x 1400wrms@8Ω, 4 x 2600wrms@4Ω</p> <p>ON SPECIAL, ENDING SOON, NORMAL DEALER R 18259</p>	27759

HYBRID+ / CELTO ACOUSTIQUE LOOSE SPEAKERS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
SPECEL024	CELTO Acoustique 8MB205-8	8" Mid Bass, 200W, 8 Ohm, 2" V.C, Alluminium Chassis	1368
SPECEL025	CELTO Acoustique 12CMB500-8	12" Mid Bass, 500W, 8 Ohm, 3" V.C, Alluminium Chassis	2691
SPECEL004	CELTO Acoustique 15MB401-8	15" Mid-bass, 400W, 8 Ohm, 2.5" V.C, Alluminium Chassis	1959
SPECEL011	CELTO Acoustique 15MB501-8	15" Mid-bass, 500W, 8 Ohm, 3" V.C	2382
SPECEL026	CELTO Acoustique 15CMB500-8	15" Mid Bass, 500W, 8 Ohm, 3" V.C, Alluminium Chassis	2596
SPECEL028	CELTO Acoustique 15CMB700-8	15" Mid Bass, 700W, 8 Ohm, 3.5" V.C, Alluminium Chassis	3336
SPECEL022	CELTO Acoustique 18EX800-8	18" Sub-woofer, 800W, 8 Ohm, 3.5" V.C	4160
SPECEL029	CELTO Acoustique 18EX900-8	18" Sub-woofer, 900W, 8 Ohm, 3.5" V.C	3437
SPECEL030	CELTO Acoustique 18EX1200-8	18" Sub Bass, 1200W, 8 Ohm, 4" V.C, Alluminium Chassis	4057
SPECEL020	CELTO Acoustique 18EX1505-8	18" Sub-woofer, 1500W, 8 Ohm, 4" V.C	5135

HYBRID+ / CELTO ACOUSTIQUE RECONE KITS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
RECCEL001	CELTO Acoustique 8MB220-8RK	Recone Kit for CELTO Acoustique 8MB220-8, 8Ohm	543
RECCEL023	CELTO Acoustique 8MB205-8RK	Recone Kit for CELTO Acoustique 8MB205-8, 8Ohm	520
RECCEL002	CELTO Acoustique 10MB320-8RK	Recone Kit for CELTO Acoustique 10MB320-8, 8Ohm	737
RECCEL003	CELTO Acoustique 12MB300-8RK	Recone Kit for CELTO Acoustique 12MB300-8, 8Ohm	787
RECCEL021	CELTO Acoustique 12MB452-8RK	Recone Kit for CELTO Acoustique 12MB452-8, 8Ohm	1227
RECCEL024	CELTO Acoustique 12CMB500-8RK	Recone Kit for CELTO Acoustique 12CMB500-8, 8Ohm	1559
RECCEL005	CELTO Acoustique 15MB401-8RK	Recone Kit for CELTO Acoustique 15MB401-8, 8Ohm	787
RECCEL012	CELTO Acoustique 15MB501-8RK	Recone Kit for CELTO Acoustique 15MB501-8, 8Ohm	1277
RECCEL025	CELTO Acoustique 15CMB700-8RK	Recone Kit for CELTO Acoustique 15CMB700-8, 8Ohm	1655
RECCEL020	CELTO Acoustique 18S700-8RK	Recone Kit for CELTO Acoustique 18S700-8, 8Ohm	1767
RECCEL026	CELTO Acoustique 18EX900-8RK	Recone Kit for CELTO Acoustique 18EX900-8, 8Ohm	1512
RECCEL022	CELTO Acoustique 18EX1100-8RK	Recone Kit for CELTO Acoustique 18EX1200-8, 8Ohm	2405
RECCEL027	CELTO Acoustique 18EX1505-8RK	Recone Kit for CELTO Acoustique 18EX1505-8, 8Ohm	2272

HYBRID+ / CELTO ACOUSTIQUE HF DRIVERS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
DRICEL001	CELTO Acoustique FCD440-8	CELTO Acoustique HF, 1" Exit , 40W, 1.7"VC, 8 Ohm	635
DRICEL013	CELTO Acoustique HFD40-8	CELTO Acoustique HF, 1" Exit, 60W, 1.7" CCAR VC, 8 Ohm	905
DRICEL014	CELTO Acoustique ACD40-8	CELTO Acoustique HF, 1" Exit, 80W, 1.7" VC, 8 Ohm	1190
DRICEL015	CELTO Acoustique ACD45-8	CELTO Acoustique HF, 1.5" Exit, 80W, 1.7"VC, 8 Ohm	1333
DRICEL011	CELTO Acoustique FCD738TI-8	CELTO Acoustique HF, 1.5" Exit, 100W, 2.8"VC, 8 Ohm	1668
DRIHYB002	CELTO Acoustique HFDN72-8	CELTO Acoustique HF, 1.5" Exit, 110W, 2.8"VC, 8 Ohm, Neo	3671

HYBRID+ / CELTO ACOUSTIQUE REPLACEMENT PARTS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
DIACEL001	CELTO Acoustique FCD440-8DK	HF Diaphragm for Hybrid+ A8, A10, A12, FT15	296

DIACEL012	CELTO Acoustique FCDX440-8DK		393
DIACEL006	CELTO Acoustique FCD510-8DK	HF Diaphragm for Hybrid+ FT152	1081
DIACEL013	CELTO Acoustique FCD738Ti-8FDK		836
DIACEL007	CELTO Acoustique FCD738-16FDK	HF Diaphragm for Hybrid+ BT15SE	884
DIACEL016	CELTO Acoustique ACD40-8DK	HF Diaphragm for ACD40-8 HF	850
DIACEL017	CELTO Acoustique ACD45-8DK	HF Diaphragm for ACD45-8 HF	850
DIACEL002	CELTO Acoustique HFD44-8DK	HF Diaphragm for Hybrid+ BT8, BT10, BT12, BT15 MKII and M	393
DIACEL008	CELTO Acoustique HFD51-8DK	HF Diaphragm for Hybrid+ BT152 MKII and MKIII	1185
DIACEL003	CELTO Acoustique HFD72-8FDK	HF Diaphragm for Hybrid+ EX12, EX15, EX152	1658

Hybrid + Crossover Network - Passive

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
PASHYB005	XO2-3500-8	250W 2-way, 3500Hz, 8/8 ohm, HF switchable attenuation	473
PASHYB016	XO215-3500-4	500W 2-way, 3500Hz, 4/8 ohm, HF switchable attenuation	550
PASHYB019	XO-S250	800W Low pass filter, 250Hz, 8ohm	1287

HYBRID LOOSE SPEAKERS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
SPEHYB025	Hybrid PB8N replacement 8" woofer	8" PB8N and PB8N 100V REPLACEMENT WOOFER	279
SPEHYB051	Hybrid 12H150	12" 150W, Steel basket	461
SPEHYB029	Hybrid 12H200S	12" 200W, Steel basket	531
SPEHYB028	Hybrid 12H200C	12" 200W, Die-cast basket	728
SPEHYB169	Hybrid 12H600	12" 600W, Alluminum Die-cast basket	1375
			
SPEHYB054	Hybrid 15H200	15" 200W, Steel basket	624
SPEHYB034	Hybrid 15H250	15" 200W, Steel basket	721
SPEHYB011	Hybrid 15H300	15" 250W, Steel basket	950
SPEHYB019	Hybrid 15H350 MKII	15" 300W, Die-cast basket	1398
			
SPEHYB009	Hybrid 15H600 NEW PRODUCT	15" 600W, Die-cast basket	1590
			
SPEHYB013	Hybrid 18H400	18" 400W, Steel basket	1715
			
SPEHYB163	Hybrid 18H800 NEW PRODUCT	18" 800W, Die-cast basket	2328
			
SPEHYB024'	Hybrid PB8N replacement Tweeter	8" PB8N and PB8N 100V REPLACEMENT TWEETER	75
DRIHYB003	Hybrid HT-20	1" 20W Compression Driver	244
DRIHYB001	Hybrid HT-40	1" 40W Compression Driver	319
DRIHYB005	Hybrid HT-60	1" 60W Compression Driver	542
DRIHYB004	Hybrid HT-80	2" 80W Compression Driver	1225

HYBRID SPEAKER SERVICE PARTS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
RECHYB016	Hybrid 12H400 Recone Kit	Hybrid 12H400 Recone Kit	245
RECHYB010	Hybrid 15H250 Recone Kit	Hybrid 15H250 Recone Kit	256
RECHYB011	Hybrid 15H300 Recone Kit	Hybrid 15H300 Recone Kit	256
RECHYB012	Hybrid 15H350 Recone Kit	Hybrid 15H350 Recone Kit	264
RECHYB013	Hybrid 15H400 / 15H600 Recone Kit	Hybrid 15H400 / 15H600 Recone Kit	275
RECHYB014	Hybrid 18H400 Recone Kit	Hybrid 18H400 Recone Kit	459
RECHYB015	Hybrid 18H600 / 18H800 Recone Kit	Hybrid 18H600 / 18H800 Recone Kit	459
DIAHYB001	Hybrid HT20 Diaphragm	HT-20 Diaphragm	95
DIAHYB003	Hybrid HT40 Diaphragm	HT-40 Diaphragm	116
DIAHYB008	Hybrid HT60 Diaphragm	HT-60 Diaphragm	146
DIAHYB002	Hybrid HT80 Diaphragm	HT-80 Diaphragm	279

HORHYB001	Hybrid H001	Horn Flare 4"x10" (10cm x 25cm) 1" Throat	59
HORHYB002	Hybrid H002	Horn Flare 5"x15" (12.5cm x 38cm) 1" Throat	87
HORHYB003	Hybrid H003	Horn Flare - 2" Throat	510

HYBRID PASSIVE X-OVERS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
PASHYB006	Hybrid X2-PLB15	Hybrid 2-way X-over 8ohm/8ohm	233
PASHYB023	Hybrid X1-2000-100	Hybrid High Pass Filter, 2000Hz, 100 Watt, 12dB/Oct (SOLD TWO IN A BOX, PRICED FOR 2)	318
FUSHYB001	Hybrid 12V/20W Fuse	Replacement Fuse for X1-2000-100 (12V/20WATT)	15
PASHYB024	Hybrid X2-1800-400	Hybrid 2 Way X-Over, 1800Hz, 400 Watt, LF:12dB/Oct, HF:12dB/Oct	406
FUSHYB002	Hybrid 24V/25W Fuse	Replacement Fuse for X2-1800-400 (24V/25WATT)	16
PASHYB025	Hybrid X2-3100-400	Hybrid 2 Way X-Over, 3100Hz, 400 Watt, LF:12dB/Oct, HF:12dB/Oct	342
PASHYB026	Hybrid X2-3500-300	Hybrid 2 Way X-Over, 3500Hz, 300 Watt, LF:6dB/Oct, HF:12dB/Oct	261
FUSHYB003	Hybrid 12V/25W Fuse	Replacement Fuse for X2-3500-300 (12V/25WATT)	15
PASHYB027	Hybrid XLP-400-1000	Hybrid Low Pass Filter, 400Hz, 1000 Watt, 12dB/Oct	470



HYBRID SPEAKER STANDS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
STAHYB011	Hybrid SP01 Speaker Pole 35mm-35mm	35mm - 35mm Diameter, Adjustable 0.9-1.4 Meter, Load Capacity 50Kg	220
STAHYB031	Hybrid SP02 Speaker Pole M20 - 35mm	M20 Thread - 35mm Diameter, Adjustable 0.9-1.4 Meter, Load Capacity 50Kg	319
STAHYB007	Hybrid SS01 Speaker Stand	Heavy duty Speaker stand, Air cushion, Auto Lock, 50Kg Load	662
STAHYB012	Hybrid SS02 Speaker Stand	Heavy duty Speaker stand, Air cushion, 50Kg Load	548
STAHYB021	Hybrid SS03 Speaker Stand - PAIR	Pair -1,8M Aluminium tripod speaker stand with carry bag	755
STAHYB034	Hybrid SS04T Speaker Stand	Black Anodised Speaker Stand, 60Kg Load Capacity	255
STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
STAHYB044	Hybrid TP01	Totem Pole, Height Adjustable from 900 - 1750mm. Dual Purpose with 35mm Top Pole for Speakers, or Moving Head Fixtures. Includes White & Black Scrims. Includes Carry Bag	2285
WALHYB006	Hybrid wall bracket 330mm Black - PAIR	Adj wall mount bracket (Tilt, Pan, Swivel) 330mm Depth - PAIR	927
WALHYB005	Hybrid wall bracket 210mm Black - PAIR	Adj wall mount bracket (Tilt, Pan, Swivel) 210mm Depth - PAIR	583







HYBRID LIGHTING STANDS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
STAHYB008	Hybrid LS01 Effect Lights stand	Light stand with T-BAR, 1.2M Height, Air Cushion, Auto Lock	975
STAHYB022	Hybrid LS02 3 Meter Light Stand	3 Meter truss stand and tripod 1.5-2.5 Meter Height	3277

HYBRID MICROPHONE STANDS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
STAHYB002	Hybrid MS01 Microphone stand	Boom Mic Stand with 2 x Mic Holder, Al Base, 1-1.7m Height	444
STAHYB003	Hybrid MS02 Microphone stand	Boom Mic Stand - Clutch operated.2 x Mic Holder - Al Base	628
STAHYB004	Hybrid MS03 Microphone stand	Mic Stand with Die Cast Iron base, 850-1520mm Height	520
STAHYB001	Hybrid MS04 Microphone stand	Boom Mic Stand with 2 x Mic Holder, Al Base, 500-700mm Height	432
STAHYB013	Hybrid MS05 Microphone stand	Mic Stand with Die Cast Iron base and Clutch, 850-1520mm Height	609
STAHYB014	Hybrid MS06 Microphone stand	Table Top, Gooseneck microphone stand	372
STAHYB019	Hybrid MS07 Microphone stand	Boom Mic Stand with 2 x Mic Holder, 1-1.7m Height	296
STAHYB033	Hybrid MS08T Microphone stand	Boom Mic Stand with 2 x Mic Holder, 1-1.7m Height	217
STAHYB038	Hybrid MS09  	Foldable Tripod Desk Top Microphone Stand. Height Adjustable from 190-240mm. Ideal for Mobile Podcasters, Metal Frame Structure. Includes Microphone Clip.	206



HYBRID MICROPHONE ACCESSORIES

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
STAHYB018	Hybrid FM01 Pop Sheild	150mm Diameter Pop Sheild and Gooseneck/ Clamp	235
STAHYB042 	Hybrid FM02 	150mm Diameter Pop Sheild with Gooseneck & C-Clamp	116
STAHYB025	Hybrid MIS01 	Compact Microphone Isolation Sheild, 185 x 150mm , Adjustable to any Angle, Suitable for Instrument and Home Recording	368
STAHYB039	Hybrid MIS01 MKII 	Desk Top Microphone Sheild with Mini Tripod Stand.Foldable Sheild Consisting of Three Panels allowing for 90° Curvature. Shield Size, 310 x 210mm	851
STAHYB040	Hybrid MIS02 MKII 	Medium Size Foldable Microphone Shield, Consisting of Three Panels allowing for 90° Curvature, Shield Size, 440 x 310mm	1452
STAHYB041	Hybrid MIS03 MKII 	Large Size Foldable Microphone Shield, Consisting of Four Panels allowing for Maximum Curvature, Shield Size, 590 x 310mm. Free Standing for Table Top Mounting or Microphone Stand Mountable.	1783

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
STAHYB036	Hybrid SMB01 	Foldable Microhpone Boom Arm. 500 + 500mm Arm Length, C-Desk Clamp & Includes Microphone Clip. Ideal For Padcasting & Studios.	349
STAHYB037	Hybrid SMB02 	Heavy Duty Foldable Microhpone Boom Arm. 500 + 500mm Arm Length, C-Desk Clamp & Includes Microphone Clip. Ideal For Padcasting & Studios.	500

STAHYB043	Hybrid IS02		Universal Tablet / Smartphone Holder, including Metal arm & C-Clamp	403
-----------	-------------	--	---	-----




HYBRID SHEET MUSIC STANDS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
STAHYB006	Hybrid MUS01 Sheet Music stand	Heavy duty sheet music stand, Aluminium base Includes a 40 Page Sheet Music File	575
STAHYB020	Hybrid MUS02 Sheet Music stand	Sheet music stand, Metal base, 410 x 250mm Includes a Carry Bag & Sheet Music Clip	345
STAHYB024	Hybrid MUS03	 Heavy Duty Sheet Music Stand, Adjustable Height 790-1480mm, Adjustable Tilt to any Angle	757
ACCHYB008	Hybrid SML01	 Sheet Music Stand LED light, (3xAA Batteries not included) rechargeable via USB cable (Included)	175

HYBRID KEYBOARD STANDS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
STAHYB005	Hybrid KS01 Keyboard stand	Double brace, Load cap 50Kg, 33-96cm height	560
STAHYB023	Hybrid KS101 Keyboard Tier	Accessory for KS01 - Second Tier	268
STAHYB016	Hybrid KMS01 Keyboard / Mixer stand	Double brace, Load cap 50Kg	793

HYBRID GUITAR STANDS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
STAHYB010	Hybrid GS01 Guitar Stand	Compact foldable guitar stand	192
STAHYB015	Hybrid GS02 Guitar Stand	Dual Guitar Stand - Acoustic/ Electric / Classic	459
STAHYB035	Hybrid GS03 Guitar Stand	 Compact foldable guitar stand	272
STAHYB032	Hybrid GB01 Guitar Wall Bracket	 Guitar Wall Bracket with Locking Mechanism	237
STAHYB045	Hybrid GB02 Guitar Wall Bracket	Guitar Wall Bracket with Locking Mechanism	126
ACCHYB007	Hybrid GC01 Guitar Capo	 Guitar Capo Black in colour	91

HYBRID MUSICIANS BENCHES

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
STAHYB028	Hybrid MB01	 Musicians Bench, 430x300mm Seating Area, 370-490mm Adujtable Height, Surdy Metal Base with Rubber Feet	533
STAHYB029	Hybrid MB02	 Musicians Bench, 600x310mm Seating Area, 450-630mm Adujtable Height, Surdy Metal Base with Rubber Feet	722

HYBRID DJ SCREEN

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
STAHYB030	Hybrid DJ Screen	DJ Screen, Aluminium, Foldable, with Carry Bag, 2800 x 1200mm	2843

LIFTING TOWERS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
TRUTEC048	Tech Truss MT650S	Line Array lifting tower, 200Kg, 6.5 Meter height	31022

HYBRID CONNECTORS


STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
CABHYB071	Hybrid Velcro Cable Straps 150mm	10 Pcs / Blister Pack, Black	33
CABHYB072	Hybrid Velcro Cable Straps 150mm	10 Pcs / Blister Pack, Red	33
CABHYB073	Hybrid Velcro Cable Straps 150mm	10 Pcs / Blister Pack, Blue	33
CABHYB074	Hybrid Velcro Cable Straps 150mm	10 Pcs / Blister Pack, Green	33
CABHYB075	Hybrid Velcro Cable Straps 250mm	10 Pcs / Blister Pack, Black	43
CABHYB076	Hybrid Velcro Cable Straps 250mm	10 Pcs / Blister Pack, Red	43
CABHYB077	Hybrid Velcro Cable Straps 250mm	10 Pcs / Blister Pack, Blue	43
CABHYB078	Hybrid Velcro Cable Straps 250mm	10 Pcs / Blister Pack, Green	43
CABHYB079	Hybrid Velcro Cable Straps 340mm	8 Pcs / Blister Pack, Black	49
CABHYB080	Hybrid Velcro Cable Straps 340mm	8 Pcs / Blister Pack, Red	49
CABHYB081	Hybrid Velcro Cable Straps 340mm	8 Pcs / Blister Pack, Blue	49
CABHYB082	Hybrid Velcro Cable Straps 340mm	8 Pcs / Blister Pack, Green	49
CONHYB004	Hybrid 2 Pack Power In Connector	2 pcs / Blister pack	99
CONHYB005	Hybrid 2 Pack Power Out Connector	2 pcs / Blister pack	99
CONHYB007	Hybrid 2 Pack Speakon 4 Pole	2 pcs / Blister pack	59
CONHYB001	Hybrid 2 Pack Speakon Barrel	2 pcs / Blister pack	72
CONHYB006	Hybrid 2 Pack Speakon Chassis Mount Conn	2 pcs / Blister pack	30
CONHYB008	Hybrid 2 Pack XLR Male Inline	2 pcs / Blister pack	49
CONHYB009	Hybrid 2 Pack XLR Female Inline	2 pcs / Blister pack	51
CONHYB012	Hybrid 2 Pack Mono Jack (6.3mm)	2 pcs / Blister pack	47
CONHYB011	Hybrid 2 Pack Stereo Jack (6.3mm)	2 pcs / Blister pack	51
CONHYB010	Hybrid 2 Pack Mono Jack - Right angled	2 pcs / Blister pack	43
CONHYB014	Hybrid 1 Pack Speakon 8 Pole	1 pcs / Blister pack	58

HYBRID MAINS EXTENSION CABLES

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
CABHYB094	3 Meter 1.5mm Mains Extension Cable	1.5mm ² Pure Copper Inductors, Heavy Duty 3 Pin Plug & Janus with LED indicator	210
CABHYB095	5 Meter 1.5mm Mains Extension Cable	1.5mm ² Pure Copper Inductors, Heavy Duty 3 Pin Plug & Janus with LED indicator	269
CABHYB093	10 Meter 1.5mm Mains Extension Cable	1.5mm ² Pure Copper Inductors, Heavy Duty 3 Pin Plug & Janus with LED indicator, Packaged in ABS case	477
CABHYB096	15 Meter 1.5mm Mains Extension Cable	1.5mm ² Pure Copper Inductors, Heavy Duty 3 Pin Plug & Janus with LED indicator, Packaged in ABS case	642
CABHYB097	20 Meter 1.5mm Mains Extension Cable	1.5mm ² Pure Copper Inductors, Heavy Duty 3 Pin Plug & Janus with LED indicator, Packaged in ABS case	811
CABHYB098	3 Meter 2.5mm Mains Extension Cable	2.5mm ² Pure Copper Inductors, Heavy Duty 3 Pin Plug & Janus with LED indicator	253
CABHYB099	5 Meter 2.5mm Mains Extension Cable	2.5mm ² Pure Copper Inductors, Heavy Duty 3 Pin Plug & Janus with LED indicator	343
CABHYB100	10 Meter 2.5mm Mains Extension Cable	2.5mm ² Pure Copper Inductors, Heavy Duty 3 Pin Plug & Janus with LED indicator, Packaged in ABS case	631
CABHYB101	15 Meter 2.5mm Mains Extension Cable	2.5mm ² Pure Copper Inductors, Heavy Duty 3 Pin Plug & Janus with LED indicator, Packaged in ABS case	886
CABHYB102	20 Meter 2.5mm Mains Extension Cable	2.5mm ² Pure Copper Inductors, Heavy Duty 3 Pin Plug & Janus with LED indicator, Packaged in ABS case	1110

HYBRID SPEAKER CABLES and CABLE TESTER



STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
CABHYB050	Speakon-Speakon 2m	2 x 2,5mm Conductor, 2 meter	102
CABHYB011	Speakon-Speakon 5m	2 x 2,5mm Conductor, 5 meter	159
CABHYB008	Speakon-Speakon 10m	2 x 2,5mm Conductor, 10 meter	237
CABHYB006	Speakon-Speakon 15m	2 x 2,5mm Conductor, 15 meter	343
CABHYB007	Speakon-Speakon 20m	2 x 2,5mm Conductor, 20 meter	436
CABHYB012	Speakon-Jack 5m	2 x 2,5mm Conductor, 5 meter	161
CABHYB003	Speakon-Jack 10m	2 x 2,5mm Conductor, 10 meter	252
CABHYB004	Speakon-Jack 15m	2 x 2,5mm Conductor, 15 meter	345
CABHYB005	Speakon-Jack 20m	2 x 2,5mm Conductor, 20 meter	438
CABHYB013	Jack-Jack 5m	2 x 2,5mm Conductor, 5 meter	163
CABHYB002	Jack-Jack 10m	2 x 2,5mm Conductor, 10 meter	256
CABHYB018-100	2 X 2mm Speaker Cable	Speaker Cable 100 meter roll	1595
CABHYB019-100	2 X 2.5mm Speaker Cable	Speaker Cable 100 meter roll	1971
CABHYB020-50	4 X 2.5mm Speaker Cable	Speaker Cable 50 meter roll	1959
CABHYB021-30	8 X 2.5mm Speaker Cable	Speaker Cable 30 meter roll	2282
CABHYB009	Hybrid CT01	Cable tester, Speakon,Jack,RCA,XLR	367
CABHYB049	Hybrid CT04	Cable tester, Speakon NL2 and NL4,Jack,RCA,XLR,5way DMX	633

CABHYB092	Hybrid CT20 	Cable tester, HDMI, Powercon, Speakon NL2 and NL4, Jack, RCA, XLR, 5way DMX	795
-----------	---	---	-----

HYBRID SPECIALISED CABLES FOR POWERED SPEAKERS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
CABHYB062	Hybrid PAC5002	Mains Power and Bal Audio cable - 2 Meter/ 10A. (IEC Mains Male and XLR Female Audio to IEC Female and XLR Male Audio)	167
CABHYB063	Hybrid PAC5005	Mains Power and Bal Audio cable - 5 Meter/ 10A. (IEC Mains Male and XLR Female Audio to IEC Female and XLR Male Audio)	355
CABHYB046	Hybrid PAC5010	Mains Power and Bal Audio cable - 10 Meter/ 10A. (IEC Mains Male and XLR Female Audio to IEC Female and XLR Male Audio)	594
CABHYB047	Hybrid PAC5015	Mains Power and Bal Audio cable - 15 Meter/ 10A. (IEC Mains Male and XLR Female Audio to IEC Female and XLR Male Audio)	838
CABHYB048	Hybrid PAC5020	Mains Power and Bal Audio cable - 20 Meter/ 10A. (IEC Mains Male and XLR Female Audio to IEC Female and XLR Male Audio)	1085

HYBRID POWER CABLES

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
CABHYB010	Hybrid PC3015	IEC - 3 PIN Plug, 1.5Meter, 3 x 1.5mm Dia 100% Copper	97
CABHYB083	Hybrid PSB2	 Power In - 3 Pin Plug, 3 Meter, 3 x 1.5mm Dia, 100% Copper	148
CABHYB084	Hybrid PWB005	 Power In - Power Out, 0.5 Meter, 3 x 1.5mm Dia, 100% Copper	112
CABHYB085	Hybrid PWB015	Power In - Power Out, 1.5 Meter, 3 x 1.5mm Dia, 100% Copper	144
CABHYB086	Hybrid PWB025	Power In - Power Out, 2.5 Meter, 3 x 1.5mm Dia, 100% Copper	173

HYBRID MIC / INPUT CABLES

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
CABHYB051	Six Pack Jack - Jack Mono, 1m	Unbalanced line - OD 6mm	310
CABHYB059	Six Pack Jack - Jack Stereo, 1m	Balanced line - OD 6mm	335
CABHYB052	Six Pack XLR Male - XLR Female, 1m	Balanced line - OD 6mm	322
CABHYB060	XLR Male-XLR Female 2m	Balanced line - OD 6mm	74
CABHYB026	XLR Male-XLR Female 5m	Balanced line - OD 6mm	104
CABHYB027	XLR Male-XLR Female 10m	Balanced line - OD 6mm	138
CABHYB061	XLR Male-XLR Female 15m	Balanced line - OD 6mm	190
CABHYB028	XLR Male-XLR Female 20m	Balanced line - OD 6mm	234
STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
CABHYB067	Right Angle XLR Male-Right Angle Female 1m	Balanced line - OD 6mm	68
CABHYB068	Right Angle XLR Male-Right Angle Female 2m	Balanced line - OD 6mm	74
CABHYB069	Right Angle XLR Male-Right Angle Female 5m	Balanced line - OD 6mm	102
CABHYB070	Right Angle XLR Male-Right Angle Female 10m	Balanced line - OD 6mm	146
CABHYB029	XLR Female-Jack Stereo 5m	Balanced line - OD 6mm	106
CABHYB030	XLR Female-Jack Stereo 10m	Balanced line - OD 6mm	147
CABHYB023	XLR Male-XLR Female 0.3m	Balanced line - OD 6mm	57
CABHYB024	XLR Male-XLR Female 0.5m	Balanced line - OD 6mm	59
CABHYB025	XLR Male-XLR Female 1m	Balanced line - OD 6mm	68
CABHYB044	XLR Male-Jack Stereo 0.3m	Balanced line - OD 6mm	55
CABHYB032	XLR Male-Jack Stereo 0.8m	Balanced line - OD 6mm	62
CABHYB033	XLR Male-Jack Stereo 1.8m	Balanced line - OD 6mm	75
CABHYB034	XLR Male-Jack Stereo 3m	Balanced line - OD 6mm	82
CABHYB053	XLR Female - Dual XLR Male 0.3m	Balanced line - OD 6mm	73
CABHYB035	Jack-Jack R/A Guitar 3m	Guitar Cable - OD 6mm	81
CABHYB036	Jack-Jack R/A Guitar 6m	Guitar Cable - OD 6mm	111
CABHYB037	Jack-Jack R/A Guitar 10m	Guitar Cable - OD 6mm	147
CABHYB038	XLR Male-RCA 0.8m	Input Cable - OD 6mm	57
CABHYB039	XLR Male-RCA 1.8m	Input Cable - OD 6mm	69

CABHYB040	XLR Male-RCA 3m	Input Cable - OD 6mm	78
CABHYB043	Dual Jack Mono - Minijack 1.8m	Input Cable - OD 4+4mm	82
CABHYB041	Dual RCA- Dual Jack 1.8m	Input Cable - OD 4+4mm	110
CABHYB054	Dual RCA - Dual XLR Male 1.8m	Input Cable - OD 4+4mm	114
CABHYB045	Dual RCA - Minijack stereo 1.8m	Input Cable - OD 4+4mm	55
CABHYB087	Dual RCA - Dual RCA 0.8M	Input Cable - OD 4+4mm / Gold plated Tip and Sleeve	102
CABHYB091	Dual XLR Male - Dual JACK Mono, 1.8m	Input Cable - OD 4+4mm	110
CABHYB064	Dual XLR Male - Minijack 1.8m	Input Cable - OD 4+4mm	85
CABHYB014-100	Mic Cable - Black 100 meter roll	100 Meter Roll, OD 6mm	937
CABHYB015-100	Mic Cable - Blue 100 meter roll	100 Meter Roll, OD 6mm	937
CABHYB016-100	Mic Cable - Red 100 meter roll	100 Meter Roll, OD 6mm	937
CABHYB017-100	Mic Cable - Green 100 meter roll	100 Meter Roll, OD 6mm	937
CABHYB042-100	Mic Cable - Yellow 100 meter roll	100 Meter Roll, OD 6mm	937

HYBRID LIGHTING CABLE

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
CABHYB001-100	Hybrid DMX Cable	100 Meter Roll, OD 6mm	1931
CABHYB103	Hybrid DMX Cable, 1meter	Hybrid XLR-XLR 3Pin DMX Cable, 1meter	76
CABHYB104	Hybrid DMX Cable, 1.5meter	Hybrid XLR-XLR 3Pin DMX Cable, 1.5meter	81
CABHYB105	Hybrid DMX Cable, 2meter	Hybrid XLR-XLR 3Pin DMX Cable, 2meter	90
CABHYB106	Hybrid DMX Cable, 3meter	Hybrid XLR-XLR 3Pin DMX Cable, 3meter	102
CABHYB107	Hybrid DMX Cable, 5meter	Hybrid XLR-XLR 3Pin DMX Cable, 5meter	131
CABHYB108	Hybrid DMX Cable, 10meter	Hybrid XLR-XLR 3Pin DMX Cable, 10meter	194

HYBRID INSTALLATION CABLE


STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
CABHYB088-100	Hybrid Ripcord 0.5 mm	Ripcord,2-core,Copper Dia 2 x 0.5mm, Outer Diameter 2 x 2.5mm, 100 Meter Roll, White in Colour	285
CABHYB089-100	Hybrid Ripcord 0.75 mm	Ripcord,2-core,Copper Dia 2 x 0.75mm, Outer Diameter 2 x 3mm, 100 Meter Roll, White in Colour	395
CABHYB090-100	Hybrid Ripcord 1.0 mm	Ripcord,2-core,Copper Dia 2 x 1.0mm, Outer Diameter 2 x 3.5mm, 100 Meter Roll, White in Colour	533



HYBRID SNAKE CABLES

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
SNAHYB001	Hybrid SNA1630	12+4 / 30 Meter	5252
SNAHYB002	Hybrid SNA2030	16+4 / 30 Meter	6750
SNAHYB003	Hybrid SNA2430	20+4 / 30 Meter	8145
SNAHYB007	Hybrid SNA2830	24+4 / 30 Meter	9550
SNAHYB004	Hybrid SNA2850	24+4 / 50 Meter on Drum with Castors / Jack XLR Combo conn	16556
SNAHYB005	Hybrid SNA3250	24+8 / 50 Meter on Drum with Castors/ Jack XLR Combo conn	19177
SNAHYB006	Hybrid SNA4050	32+8 / 50 Meter on Drum with Castors/ Jack XLR Combo conn	24632

HYBRID CABLE PROTECTORS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
		<ul style="list-style-type: none"> • Channel Size: 32x 32mm • Heavy Duty Flexible Rubber • Easy Inter-Coupling of Units 	
CABHYB065	Hybrid CPT2	2 Track Cable Protector, 980mm x 245 x 50mm / 5.7Kg	843
CABHYB066	Hybrid CPT3	3 Track Cable Protector, 990mm x 300 x 44mm / 7.8Kg	993





HYBRID LIGHT CONTROLLERS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
LIGHYB039	Hybrid DMX 192 	DMX Light controller, 192 CH	2045
LIGHYB049	Hybrid DMX 384 	DMX Light controller, 384 CH	2559

 LIGHYB071	Hybrid+ Mini 1024 	<ul style="list-style-type: none"> *1024 channels with 2 individual optical isolated DMX outputs and Net-work interface * 7" TFT-LCD touch screen for operating * 3 colour (RGY) backlit keys. 4 optical backlit encoders * 1000 playbacks, executed by 15 playback faders×40 pages and 20 playback keys×20 pages * Maximum 400 Units for patching all kinds of Fixtures * 400 Groups. 400 Pre-sets. 400 Macros * 400 User-Defined Shape Effects * Shortcut area provides a quick way for selecting Fixtures, Groups, Pre-sets or Custom Shape Effects 	27668
 LIGHYB072	Hybrid+ Master 4096 	<ul style="list-style-type: none"> * 4096 channels with 6 individual optical isolated DMX outputs and Net-work interfaces capable of 8 universes * 400 Units for patching all kinds of Fixtures * Fixtures within 80 channels are available * 10.4" TFT-LCD touch screen for operating *VGA interface for external monitor to display more edited information * 1120 playbacks can be programmed which controlled by 24 playback faders×30 pages together with 20 playback keys ×20 pages 	53975










HYBRID LASER EFFECTS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
LASHYB001	Hybrid L200RG/B 	<ul style="list-style-type: none"> • Red / Green laser - Beam effect • 160mW, 120mW Red and 40mW Green • DMX512(7 Channel), Auto, Master/Slave and Sound to Light • More than 100 patterns and 300 effects • On-off key switch • Auto shut-down after 3 sec inactivity • XLR 3 pin DMX (In and Out) 	2073
LASHYB002	Hybrid L210RG/D 	<ul style="list-style-type: none"> • Red / Green Laser - Firefly effect • 200mW, 150mW Red and 50mW Green • DMX512 (4 Ch), Auto, Master/Slave and Sound to Light • Double tunnel effects with 8 patterns • Auto shut-down after 8 sec inactivity • XLR 3 pin DMX (In and Out) 	2073
LASHYB003	Hybrid L480RGB/D 	<ul style="list-style-type: none"> • Red, Green and Blue Laser - Firefly effect • 680mW, 150mW Red, 30mW Green and 500mW Blue • Auto and Sound to Light • Multi effects line pattern including Circle, Ellipse, Beeline and Dotmatrix with more than 30 patterns • Auto shut-down after 8 sec inactivity 	4374
LASHYB004	Hybrid L640RGBP/B 	<ul style="list-style-type: none"> • Red, Green, Blue and Purple laser - Beam effect • 550mW, 150mW Red, 50mW Green, 100mW Blue, 250mW Purple • DMX512(7 Channel), Auto, Master/Slave and Sound to Light • More than 100 patterns and 300 effects • On-off key switch • Auto shut-down after 8 sec inactivity • XLR 3 pin DMX (In and Out) 	4512
STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
LASHYB005	Hybrid L350RGB/F 	<ul style="list-style-type: none"> • Red, Green and Blue Laser - Beam and Animated Graphics • 360mW, 150mW Red, 60mW Green and 150mW Blue • 15KPPS High speed optical scanner • DMX (14 Ch), Prog Mode, IDLA, Auto and Sound to Light • SD Card: 8GB • Beam and Animated Graphics • On-off key switch • Auto shut-down after 8 sec inactivity • LCD Control Display • IR Remote control included • XLR 3 pin DMX (In and Out) 	5525
LASHYB007	Hybrid L600RGB/F 	<ul style="list-style-type: none"> • Red, Green and Blue Laser - Beam and Animated Graphics • 600mW, 100mW Red, 100mW Green and 400mW Blue • 25KPPS High speed optical scanner • DMX512 (12 Ch), PC Control (DB25 ILDA Interface) , Auto Animation, Auto Beam, Master/ Slave and Sound to Light • 128 Beam show and Animated Graphics • On-off key switch • Auto shut-down after 8 sec inactivity • LCD Control Display • IR Remote control included • XLR 3 pin DMX (In and Out) 	9208

LASHYB008	Hybrid L700RGB/F 	<ul style="list-style-type: none"> • Red, Green, Blue Laser-Animated ,3D Plane/Dotmatrix Efx • 600mW, 100mW Red, 100mW Green and 400mW Blue • 25KPPS High speed optical scanner • DMX512 (13 Channel), PC Control (ILDA Interface) , Auto Animation, Auto Beam, Master/ Slave and Sound to Light • Animated Graphics, Animated Grating, 3D Plane and 3D Dotmatrix Effects • On-off key switch • Auto shut-down after 8 sec inactivity • Strobe Effect, Rotation, Split, Zoom, Speed and Col Control • XLR 3 pin DMX (In and Out) 	9208
LASHYB009	Hybrid L1500RGB/F 	<ul style="list-style-type: none"> • Red, Green and Blue Laser - Beam and Animated Graphics • 1600mW, 300mW Red, 300mW Green and 1000mW Blue • 25KPPS High speed optical scanner • DMX512 (18 Channel), IDLA Mode (PC Control) , Program Mode (SD Card), IDLA Mode (SD Card), Auto, Master/ Slave and Sound to Light • Beam and Animated Graphics • On-off key switch • Auto shut-down after 8 sec inactivity • LCD Control Display • IR Remote control included • XLR 3 pin DMX (In and Out) 	13811
LASHYB006	Hybrid L1200R/B 	<ul style="list-style-type: none"> • Red Laser- Beam effect • 960mW, 8 x 120mW Red • DMX512(13Ch),Auto,Master/Slave,Manual and Sound-Light • Multiple Beam, Chaser and Strobe Effect • Beam X-Y Axis Adjustable • On-off key switch • Auto shut-down after 8 sec inactivity • XLR 3 pin DMX (In and Out) 	16112
LASHYB010	Hybrid L2700RGB/F 	<ul style="list-style-type: none"> • Red, Green and Blue Laser - Beam and Animated Graphics • 2500mW, 400mW Red, 500mW Green and 1600mW Blue • 25KPPS High speed optical scanner • DMX512 (17 Channel), IDLA Mode (PC Control) , Program Mode (SD Card), IDLA Mode (SD Card), Auto, Master/ Slave and Sound to Light • Beam and Animated Graphics • On-off key switch • Auto shut-down after 8 sec inactivity • LCD Control Display • IR Remote control included • XLR 3 pin DMX (In and Out) 	36827

HYBRID STAGE LIGHTING

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
CLAHYB001	Hybrid HC200	 50 mm Half Coupler 200Kg Load, 30mm Width, M8 Bolt	170
CLAHYB002	Hybrid HC30	 50 mm / 40mm and 25mm Half Coupler 30Kg Load,	102
STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
LIGHYB024	Hybrid HSS 18.1	 Parcan, Plastic, 7 CH DMX, Sound to Light, Master and Slave, RGB	775
LIGHYB025	Hybrid HSS 7.4	 Parcan, Plastic, 8 CH DMX, Sound to Light, Master and Slave, RGBW	1040

LIGHYB026	Hybrid HSS 12.4		Parcan, Aluminium Diecast, 4,6 and 8 CH DMX, Sound to Light, Master and Slave, RGBW	2488
LIGHYB027	Hybrid HSS 12.6		Parcan, Aluminium Diecast, 4,6 and 8 CH DMX, Sound to Light, Master and Slave, RGBWAV	3690
LIGHYB058	Hybrid HSS 9.4B		<ul style="list-style-type: none"> • Battery Operated Parcan with Wireless DMX • 9 x 8Watt Quad Colour LED's (RGBW) • Beam Angle, 30 Deg • DMX512 (4/7CH), Master / Slave, Auto and Sound to Light • Wireless DMX512 Protocol • 6 Hour Battery Operation @ Full RGBW • Charging Cycle, 10 Hour • Built in 2.4G Wireless Transmitter / Receiver 	4381
FLIHYB002	Hybrid HSS 9.4B RECHARGE FLIGHT CASE		Recharge Flightcase for 6 x HSS9.4B, Powercon In with 6 x Powercon charging points inbuilt	3797
LIGHYB059	Hybrid HSS 6.4B		<ul style="list-style-type: none"> • Battery Operated Parcan with Wireless DMX • 6 x 8Watt High Bright Quad Colour LED's (RGBW) • Beam Angle, 25 Deg • DMX512, Master / Slave, Auto and Sound to Light • Wireless DMX512 Protocol • 6 Hour Battery Operation @ Full RGBW • Charging Cycle, 10 Hour • Built in 2.4G Wireless Transmitter / Receiver 	4218
FLIHYB001	Hybrid HSS 6.4B RECHARGE FLIGHT CASE		Recharge Flightcase for 6 x HSS6.4B, Powercon In with 6 x Powercon charging points inbuilt	3797
LIGHYB061	Hybrid HSS COB-C		<ul style="list-style-type: none"> * Colour COB Parcan with Barn-doors * 1 x COB 150W, Red, Green, Blue & White (4 in One) * 4, 6 & 8 Channel DMX * DMX, Master & Slave, Stand Alone & Sound to Light 	3165
STOCK CODE	BRAND / MODEL	DESCRIPTION		RETAIL INCL
LIGHYB060	Hybrid HSS-CW		<ul style="list-style-type: none"> * Warm & Cool White COB Parcan with Barn-doors * 1 x COB 200W, Warm White & Cool White, (2 in One) * 5 Channel DMX * DMX, Master & Slave, Stand Alone & Sound to Light 	4329
LIGHYB062	Hybrid HSS-COB2B		<ul style="list-style-type: none"> * Warm & Cool White COB Crowd Blinder * 2 x COB 100W, Warm White & Cool White Ultra Bright LED's, (2 in One) * 7 Channel DMX * DMX512, Master & Slave, Stand Alone & Sound to Light 	4487

LIGHYB063	Hybrid HSS-COB4B		<ul style="list-style-type: none"> * Warm & Cool White COB Crowd Blinder * 4 x COB 100W, Warm White & Cool White Ultra Bright LED's, (2 in One) * 12 Channel DMX * DMX512, Master & Slave, Stand Alone & Sound to Light 	7907
LIGHYB009	Hybrid HMH 7		Moving Head, 5and13 CH DMX, Sound to Light, Master and Slave, RGBW	2746
LIGHYB010	Hybrid HMH 4.1		Moving Head, 15and19 CH DMX, Sound to Light, Master and Slave, RGBW	3458
LIGHYB064	Hybrid HMH 12		<ul style="list-style-type: none"> • Compact Moving Head with Ring Effect • 40 Watt RGBW 4 in 1 LED's • Ring Effect: 12Pcs RGB 3in1 SMD LED's • DMX 512 (16/30 Ch), Master / Slave, Auto, Sound to Light • Beam Angle, 6 Deg • Pan/ Tilt: 540/270 Deg 	3163
LIGHYB012	Hybrid HMH Gobo		Moving Head, 10 CH DMX, Sound to Light, Master and Slave, RGBW, 30Watt	3378
LIGHYB056	Hybrid HMH Goboll		<ul style="list-style-type: none"> • 60 Watt Compact Moving Head • 1 x 60Watt White LED • DMX(9/11CH), Master / Slave, Auto, Sound to Light • Gobo Wheel with 7 Gobos and Open • Colour Wheel with 13 Colours and White • Pan, 540 Deg • Tilt, 230 Deg • Dimmer 0-100% • Strobe 0-20 Hz 	4440
STOCK CODE	BRAND / MODEL	DESCRIPTION		RETAIL INCL
LIGHYB005	Hybrid HMH SPOT 40		<ul style="list-style-type: none"> • 40 Watt Compact Moving Head • 1 x 40Watt White LED • DMX (11&13 Ch), Master / Slave, Auto, Sound to Light • Gobo Wheel with 11 Gobos & Open • Colour Wheel with 9 Colours & White • Pan, 540 Deg • Tilt, 270 Deg 	6327
LIGHYB011	Hybrid HMH 6		Moving Head, 10and17 CH DMX, Sound to Light, Master and Slave, RGBW	6473

LIGHYB068	 Hybrid HMH 100B 	80W Beam Fixture with 11 Static Gobo's, 9 Fixed Colours, 8 Facet Rotating Prism, DMX, Master/Slave, Auto and Sound to Light Sold 4 Units in a Flight Case	33541
LIGHYB069	 Hybrid HMH 100S FX 	80W Spot Fixture with 9 Static Gobo's, 9 Fixed Colours, 3 Facet Rotating Prism, DMX, Master/Slave, Auto and Sound to Light Sold 4 Units in a Flight Case	31494
LIGHYB070	 Hybrid HMH 100W FX 	3x40w Effects Fixture with Motorized Zoom (8-55") DMX, Master/Slave, Auto and Sound to Light Sold 4 Units in a Flight Case	35591
LIGHYB065	 Hybrid HMH 285 	<ul style="list-style-type: none"> • SOLD TWO UNITS IN A FLIGHTCASE • 19 x 15W LED, RGBW (4 in One) Moving Head • Pan / Tilt: 540 / 270 Deg • Pan & Tilt Adjustable Moving Speed • Blackout, 0-100% Smooth dimming & Strobe Effect • Motorized Linear Zoom • DMX 512 	21226
LIGHYB066	 Hybrid HMH 150 	<ul style="list-style-type: none"> • SOLD TWO UNITS IN A FLIGHTCASE • 150 Watt LED Moving Head • Rotating Gobo, 12-23 Deg with Zoom Lens • 8 Fixed Colours +White • 1 Rotating Gobo Wheel with 7 Gobos + Open • 6 Facet Prism & Comet Prism, Rotating in both Directions • Motorized Focus • Motorized Linear Zoom 	38212
LIGHYB053	 Hybrid HMH 230	Sold in Pairs with Flightcase, Moving Head, Osram 230W lamp, 15/18 DMX CH, 540 Deg Pan, 270 Deg Tilt, 14 Colours + White, 17 Metal Gobos, Motorized Dimmer, Motorized Shutter/Strobe, Motorized Focus.	31864
LAMOSR002	Hybrid HMH230 REPLACEMENT GLOBE	Globe for HMH230, OSRAM P-VIP 180-230/1.0 E20.6	1883
STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
LIGHYB057	 Hybrid HMH 25.6	<ul style="list-style-type: none"> • Sold in Pairs w Flightcase, Pixel Mapping Moving Head • 25 x 12 Watt Red, Green, Blue and White LED • Beam Angle 3-5Deg • DMX(19/23/119CH) Master/Slave, Auto and Sound 2 Light • Continuous rotating Pan and Tilt • Pixel Mapping Effect • Dimmer / Shutter • RGBW Colour Mixing • Full Colour LCD Display / Control 	36806
LIGHYB001	 Hybrid+ AL-002 EOL - REDUCED PRICE	Sold in Pairs with Flightcase	31529

LIGHYB054	Hybrid HSE 5.4 	<ul style="list-style-type: none"> • 5 x 12Watt Quad Colour RGBW LED's • DMX512 (14/34CH), Master/Slave, Auto and Sound to Light • Tilt Ranges 90,180 and 270 Deg • Individual Tilt Control • Strobe 0-23 Hz • Beam Angle, 5Deg • Daisy Chain Master / Slave programs 	8023
LIGHYB055	Hybrid HSE 4.4 	<ul style="list-style-type: none"> • 4 x 12Watt Quad Colour RGBW LED's • DMX512 (17/33CH), Master/Slave, Auto and Sound to Light • Pan 360 Deg -Continuous/ Tilt Ranges 90,180 and 270 Deg • Individual Tilt Control • Strobe 0-23 Hz • Beam Angle, 5Deg • Daisy Chain Master / Slave programs 	8840
LIGHYB013	Hybrid HSE 8.4 	Stage Effect, 1,6,12 and 36 CH DMX, Sound to Light, Master and Slave, RGBW	5648
LIGHYB019	Hybrid HSE 8.1 	Stage Effect, 7 CH DMX, Sound to Light, Master and Slave, RGBW	2323
LIGHYB022	Hybrid HSE FLAME 	Stage Effect, 4 CH DMX , RGBW	3272
LIGHYB038	Hybrid HSF 5.4 	Stage Effect, DMX Control, Sound to Light, Master and Slave, RGBW	1690
LIGHYB003	Hybrid HSF 12.4 	12 LED Pixel Bar, DMX 512 (6/8/12/52 Ch), Auto, Sound to Light, Master/Slave & IR remote.	3428
STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
LIGHYB020	Hybrid HSF 36.1 EOL - REDUCED PRICE 	Stage Effect, 7 CH DMX , Master and Slave, RGBW	1690
LIGHYB032	Hybrid HU 9 	Ultra-Violet, Stand Alone and Auto Control	1531
LIGHYB033	Hybrid HU 18 	Ultra-Violet, Stand Alone and Auto Control	2164
LIGHYB023	Hybrid HS 8 	Strobe, 5 CH DMX, Sound to Light, Master and Slave, 8x25w	2798


HYBRID EFFECTS LIGHTING

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
LIGHYB073	Hybrid Mushroom without DMX  	Effects, Sound to Light, Master and Slave, RGB	307
LIGHYB015	Hybrid Mushroom with DMX 	Effects, 5CH DMX, Sound to Light, Master and Slave, RGB	592
LIGHYB037	Hybrid One Beam 	Effects, Sound to Light, Auto run	613
LIGHYB034	Hybrid Two Beam  	Effects, 3CH DMX, Sound to Light, Master and Slave, RGB	963
LIGHYB035	Hybrid Two Beam and Strobe  	Effects, 3CH DMX, Sound to Light, Master and Slave, RGB and Strobe	1104
LIGHYB036	Hybrid Four Beam 	Effects, 4CH DMX, Sound to Light, Master and Slave, RGBA	1876
LIGHYB014	Hybrid Double Derby 	Effects, Sound to Light, RGBA	1335
STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
LIGHYB017	Hybrid Triple Derby 	Effects, 7CH DMX, Sound to Light, Master and Slave, RGBW	1773
LIGHYB018	Hybrid Six Beam 	Effects, 7CH DMX, Sound to Light, Master and Slave, RGB	1673
LIGHYB016	Hybrid Eight Beam 	Effects, 3and8CH DMX, Sound to Light, Master and Slave, Gobos, RGBW	2249



LIGHYB021	Hybrid HS1500		Strobe, 2CH DMX, Speed Adj, Intensity Adj, 1500w Lamp	1521
-----------	---------------	--	---	------

HYBRID SMOKE MACHINES and FLUIDS



STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
SMOHYB001	Hybrid HS1200 Smoke Machine	900w, 8000Cu FT/Min Smoke Machine	1699
SMOHYB012	Hybrid HS1200L Smoke Machine	 <ul style="list-style-type: none"> • 850w, 12000Cu FT/Min Smoke Machine • 3 x 1W LED 	1914
SMOHYB002	Hybrid HS2000 Smoke Machine	• 1500w, 18000Cu FT/Min Smoke Machine	2559
SMOHYB013	Hybrid HS2000L Smoke Machine	 <ul style="list-style-type: none"> • 1000w, 20000Cu FT/Min Smoke Machine • 6 x 1W LED 	2555
SMOHYB003	Hybrid HS2000D Smoke Machine	1500w, 20000Cu FT/Min Smoke Machine, DMX512	3547
SMOHYB004	Hybrid HS4000D Smoke Machine	3000w, 40000Cu FT/Min Smoke Machine, DMX512	6386
SMOHYB014	Hybrid HSV1200DL Smoke Machine	 <ul style="list-style-type: none"> • 850w, 12000Cu FT/Min Smoke Machine, 7 CH DMX • 9 x 3W LED (R,G,B) 	3238
SMOHYB015	Hybrid HSV 2000DL Smoke Machine	 <ul style="list-style-type: none"> • 1500w, 20000Cu FT/Min Smoke Machine, 7CH DMX • 21 x 3W led (R,G,B) 	4214
SMOHYB005	Hybrid HH1200 Fazer Machine	700w, 2000Cu FT/Min Smoke Machine	3439
SMOHYB006	Hybrid HH1600 Fazer Machine	1000w, 3500Cu FT/Min Smoke Machine	8948
STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
SMOHYB016	Hybrid HH3000 Hazer Machine	 <p>800w, 3000Cu FT/Min Hazer Machine in flightcase</p>	19767
SMOHYB017	Hybrid HLF1200 Low Fog Machine	 <p>1300w, 10000Cu FT/Min Low fog Machine</p>	14813

SMOHYB018	Hybrid HLF1500 Low Fog Machine		2100w, 10000Cu FT/Min Low fog Machine with flightcase	20808
SMOHYB011	Hybrid FLG-2		2 Liter Heavy Duty Smoke Liquid	150
SMOHYB007	Hybrid FLG-5		5 Liter Heavy Duty Smoke Liquid	338
SMOHYB019	Hybrid HHF-1 Haze Fluid		1 Liter Haze Fluid	383
SMOHYB020	Hybrid HHF-2 Haze Fluid		1 Liter High Density Haze Fluid	467
SMOHYB021	Hybrid FLY-5 Low Fog Fluid		5 Liter Low Fog Fluid	717
SMOHYB008	Hybrid Smoke Fluid Essence - LEMON		30mL, Scented essence	95
SMOHYB009	Hybrid Smoke Fluid Essence - STRAWBERRY		30mL, Scented essence	95
SMOHYB010	Hybrid Smoke Fluid Essence - ROSE		30mL, Scented essence	95

HYBRID PROCESSORS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
PSCHYB001	Hybrid PSC-8 	<ul style="list-style-type: none"> * Power Sequencer Controller * 8 Way - 8 x 220VAC Outputs * LCD screen with Mains Voltage Display * Extendable for Multi Unit Operation 	1410
ACTHYB001	Hybrid CX223	2 way Stereo, 3 way Mono active cross over with XLR connectors	1434
ACTHYB002	Hybrid CX234	3 way Stereo, 4 way mono active cross over with XLR connectors	1713
LIMHYB001	Hybrid CG2 	2 Way Compressor Limiter / Gate	2625
EQUHYB001	Hybrid S-EQ215A	15 Band stereo graphic EQ XLR/JACK with adjustable mono sub output. 1u Rack high	1656
EQUHYB002	Hybrid S-EQ231A	31 Band stereo graphic EQ XLR/JACK with adjustable mono sub output. 2u Rack high	2320
DIBHYB001	Hybrid DB01	Di Box, XLR-Jack, ATT	182
DIBHYB002	Hybrid DB02	Dual Di Box, XLR-Jack, ATT	294
DIBHYB003	Hybrid DB10 	<ul style="list-style-type: none"> • Active DI box, 9V Batt or Phantom powered (18-48VDC) • XLR or 1/4" Jack Input • 1/4" Jack link • -20 /-40 dB Input attenuation switches • Ground lift switch • Balanced XLR output 	410
MEDHYB001	Hybrid MEDIA-P 	<ul style="list-style-type: none"> • Media player supporting Bluetooth Connectivity, • USB / SD CARD Player, FM Transmitter. • Stereo RCA Outputs, Stereo 3.5mm Jack Input. • LCD Display 	385

HYBRID+ MIXERS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
MIXHYB035	Hybrid+ HM04 	4 + 2 Channel DJ mixer Channel 1-4: Switchable 5 Lines, 2 Phono, 1 USB 10 Segment LED bar display on input channels 1-4 Dual 10 Segment LED bar display on outputs channels BPM counters Multi-Effects on all channels USB In & Out soundcard Bass, Mids & Highs EQ (-26dB / +12dB) + Gain Control on Inputs 2 Mic Channels with Low & High EQ (-12 / +12 dB) + Gain 2 Stereo Output Channels (Balanced / Unbalanced)	5678
		Quantity 10 or more	5194
MIXHYB048	Hybrid+ IM4.0P 	Installation Mixer, 2 Channel & Microhpone, USB / Bluetooth MP3 Player with FM Tuner, Low-High Output EQ, Low-High Mic EQ, 2 X Master Outputs with independent Level Controls, 1/4" Balanced Outputs, RCA Unbalanced Outputs, 10 LED Output Display, 1U High, 19" Rack Mountable.	3184

MIXHYB049	Hybrid+ IM8.4U 	Installation Mixer, 6 Channel & 2 Microphone, Inbuilt USB Soundcard (In & Out), Low-High Output EQs, Low-Mid-High Mic EQ, Master + 3 Zone Outputs with Switchable Input Source, XLR Balanced Outputs, RCA Unbalanced Master Output, 10 LED Output Display, 5 LED Zone Display, 3U High, 19" Rack Mountable.	4646
-----------	---	---	------

HYBRID DESK TOP BAND MIXERS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
MIXHYB013	Hybrid MC6002S	2 Mic, 2 Stereo channels, 3 Band EQ/ch	1495
MIXHYB021	Hybrid MC16USB	12 Mic, 2 Stereo Ch, 3 Band EQ/CH, 7 B GEQ, USB, Effects, MP3 Player	5193
MIXHYB022	Hybrid MC20USB	16 Mic, 2 Stereo Ch, 3 Band EQ/CH, 7 B GEQ, USB, Effects, MP3 Player	6058
MIXHYB001	Hybrid ML802DUSBX 	<ul style="list-style-type: none"> • 4 Mono Mic/Line Channels (XLR, 1/4" Jack - Balanced) • 2 Stereo Line Channels (Unbalanced 1/4" Jack) • Low (80Hz), Mid (2.5KHz) - Hi (15KHz) EQ pots (+/-15 dB) • Gain, EFX Send, Aux Send, Pan and Level Pots • 16 Digital EFX Processor • MP3-USB Media Player with Record Function • Unbalanced 1/4" Jack Outputs 	2395
MIXHYB002	Hybrid ML1202DUSBX 	<ul style="list-style-type: none"> • 8 Mono Mic/Line Channels (XLR, 1/4" Jack - Balanced) • 2 Stereo Line Channels (Unbalanced 1/4" Jack) • Low (80Hz), Mid (2.5KHz) - Hi (15KHz) EQ pots (+/-15 dB) • Gain, EFX Send, Aux Send, Pan and Level Pots • 16 Digital EFX Processor • MP3-USB Media Player with Record Function • Unbalanced 1/4" Jack Outputs 	2994
MIXHYB005	Hybrid M602UBTX 	<ul style="list-style-type: none"> • 6 Mono Mic/Line Channels (XLR, 1/4" Jack - Balanced) • Low (80Hz), Mid (2.5KHz) - Hi (15KHz) EQ pots (+/-15 dB) • Gain, EFX Send, Monitor Send and Pan Pots • 60mm Level Fader • 16 Digital EFX Processor • MP3-USB / SD Card Media Player with Bluetooth • 7 Band Graphic EQ • Balanced XLR Outputs 	2673
MIXHYB006	Hybrid M802UBTX 	<ul style="list-style-type: none"> • 8 Mono Mic/Line Channels (XLR, 1/4" Jack - Balanced) • Low (80Hz), Mid (2.5KHz) - Hi (15KHz) EQ pots (+/-15 dB) • Gain, EFX Send, Monitor Send and Pan Pots • 60mm Level Fader • 16 Digital EFX Processor • MP3-USB / SD Card Media Player with Bluetooth • 7 Band Graphic EQ • Balanced XLR Outputs 	2992
STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
MIXHYB007	Hybrid M1202UBTX 	<ul style="list-style-type: none"> • 12 Mono Mic/Line Channels (XLR, 1/4" Jack - Balanced) • Low (80Hz), Mid (2.5KHz) - Hi (15KHz) EQ pots (+/-15 dB) • Gain, EFX Send, Monitor Send and Pan Pots • 60mm Level Fader • 16 Digital EFX Processor • MP3-USB / SD Card Media Player with Bluetooth • 7 Band Graphic EQ • Balanced XLR Outputs 	3641
MIXHYB034	Hybrid M1602UBTX 	<ul style="list-style-type: none"> • 16 Mono Mic/Line Channels (XLR, 1/4" Jack - Balanced) • Low (80Hz), Mid (2.5KHz) - Hi (15KHz) EQ pots (+/-15 dB) • Gain, EFX Send, Monitor Send and Pan Pots • 60mm Level Fader • 16 Digital EFX Processor • MP3-USB / SD Card Media Player with Bluetooth • 7 Band Graphic EQ • Balanced XLR Outputs 	4563



MIXHYB040	Hybrid MG2408FX		18 Mic + 2 Stereo Channels, Hi grade Input Op-Amps ,Studio level adjustable compressors, Parametric EQ per channel, 4 Groups, 4 Aux Channels, 48V Phantom on each channel, 100mm Faders, DSP effects processor, USB audio interface, Group & Output LED level meters. Improved Audio quality & better features - Replaces the Hybrid MX2406DU	11611
MIXHYB041	Hybrid MG3208FX		26 Mic + 2 Stereo Channels, Hi grade Input Op-Amps ,Studio level adjustable compressors, Parametric EQ per channel, 4 Groups, 4 Aux Channels, 48V Phantom on each channel, 100mm Faders, DSP effects processor, USB audio interface, Group & Output LED level meters. Improved Audio quality & better features - Replaces the Hybrid MX3206DU	14670






HYBRID MIXERS PSU ADAPTORS and ACCESSORIES

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
PSUHYB003	Hybrid PSU Adaptor for MC8USB and SM802	Hybrid PSU Adaptor for MC8USB and SM802MS	129
PSUHYB001	Hybrid PSU Adaptor for MC12, 16 and 20 USB	Hybrid PSU Adaptor for MC12USB, MC16USB and MC20USB	167
PSUHYB002	Hybrid PSU Adaptor for MC6002S	Hybrid PSU Adaptor for MC6002S	197
MIXHYB033	Hybrid USB Sound Card Module	USB Sound Card Module for Hybrid ML802DUSBX, ML1202DUSBX, M602UBTX, M802UBTX, M1202UBTX, ML860PDX, ML10800PUX and ML1260PDX	298

HYBRID DESK TOP POWERED MIXERS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
MIXHYB025	Hybrid PM6	Powered 6 Channel, Reverb, 5 Band Graphic, 200 Watt	2263
MIXHYB026	Hybrid PM6 USB	Powered 6 Channel, Reverb, 5 Band Graphic, USB, 200 W	2655
MIXHYB038	Hybrid M6180BT 	<ul style="list-style-type: none"> • 6 Mono Mic / Line Input Channels with Reverb Control • XLR and 1/4" Jack • Low, and Hi EQ pots (+/- 15dB) • Digital Reverb • Multifunction MP3 Media Player • 180Wrms Power amplifier @ 4 Ohm • Bass, Mid & Treble Master Control 	2109
MIXHYB030	Hybrid M8200PUBTX 	<ul style="list-style-type: none"> • 8 Mono Mic / Line Input Channels with Reverb Control • XLR and 1/4" Jack • Low, and Hi EQ pots (+/- 15dB) • Digital Reverb • Multifunction MP3 Media Player • 200Wrms Power amplifier @ 4 Ohm • 5 Band Graphic EQ 	2419
MIXHYB029	Hybrid M8600PLUSB 	<ul style="list-style-type: none"> • 6 Mono Hi Impedance Input Channels with Clip Indicator • FX Control, XLR • 1 Stereo 1/4" Jack Input Channels with -10dB Selector • Low, Mid and Hi EQ pots (+/- 15dB) • 16 Preset Digital Effects Processor • Multifunction MP3 Media Player • 7 Band Graphic EQ • 2 x 300Wrms Power amplifier channels @ 4 Ohm 	4688
MIXHYB039	Hybrid M12218DBT 	<ul style="list-style-type: none"> • 8 Mono Hi Impedance Input Channels with Clip Indicator • FX Control • Combo XLR-Stereo 1/4" Jack connectors with -20dB Selector • Low, Hi EQ pots (+/- 15dB) • 16 Preset Digital Effects Processor • Multifunction MP3 Media Player • 7 Band Graphic EQ • USB In-Out to PC • 2 x 300Wrms Power amplifier channels @ 4 Ohm 	4068

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
MIXHYB027	Hybrid ML860PDX 	<ul style="list-style-type: none"> • 4 Mono Mic/Line Channels (XLR, 1/4" Jack - Balanced) • 2 Stereo Line Channels • Low (80Hz), Mid (2.5KHz) • - Hi (15KHz) EQ pots (+/-15 dB) • Level, EFX, Aux Send, Compression and Pan Pots • 16 Digital EFX Processor • MP3-USB / SD Card Media Player with Record Function • 2 x 300W Rms @ 4Ω (Speakon and 1/4" Jack) 	4327
MIXHYB036	Hybrid ML860PDUU 	<ul style="list-style-type: none"> • 4 Mono Mic/Line Channels (XLR, 1/4" Jack - Balanced) • 2 Stereo Line Channels • Low (80Hz), Mid (2.5KHz) • - Hi (15KHz) EQ pots (+/-15 dB) • Gain , EFX, Pan Pots, Volume Slider • 16 Digital EFX Processor • MP3-USB / SD Card Media Player with Record Function • USB In-Out for PC • 2 x 300W Rms @ 4Ω (Speakon and 1/4" Jack) 	4368

MIXHYB028	Hybrid ML1260PDUX 	<ul style="list-style-type: none"> • 8 Mono Mic/Line Channels (XLR, 1/4" Jack - Balanced) • 2 Stereo Line Channels • Low (80Hz), Mid (2.5KHz) - Hi (15KHz) EQ pots (+/-15 dB) • Level, EFX, Aux Send, Compression and Pan Pots • 16 Digital EFX Processor • MP3-USB / SD Card Media Player with Record Function • 2 x 300W Rms @ 4Ω (Speakon and 1/4" Jack) 	5104
MIXHYB037	Hybrid ML1260PDUU 	<ul style="list-style-type: none"> • 8 Mono Mic/Line Channels (XLR, 1/4" Jack - Balanced) • 2 Stereo Line Channels • Low (80Hz), Mid (2.5KHz) - Hi (15KHz) EQ pots (+/-15 dB) • Gain, EFX, Pan Pots, Volume Sliders • 16 Digital EFX Processor • MP3-USB / SD Card Media Player with Record Function • USB In-Out for PC • 2 x 300W Rms @ 4Ω (Speakon and 1/4" Jack) 	5103
MIXHYB018	Hybrid SC12220P	Stereo 12 Mic, Bass and Treble Eq/CH, DSP effects with 7 Band EQ, 200w rms/CH	5741
MIXHYB023	Hybrid SC12230P	Stereo 12 Mic, Bass and Treble Eq/CH, DSP effects with 7 Band EQ, 300w rms/CH	6281
MIXHYB015	Hybrid M10800PUX 	<ul style="list-style-type: none"> • 6 Mono Mic/Line Channels (XLR, 1/4" Jack - Balanced) • 2 Stereo Line Ch's / 2 Mono Mic Channels • Low (80Hz), Mid (2.5KHz) - Hi (15KHz) EQ pots (+/-15 dB) • Gain, EFX Send, Monitor Send and Pan Pots • 60mm Level Fader • 16 Digital EFX Processor • MP3-USB / SD Card Media Player with Bluetooth • 7 Band Graphic EQ • Balanced XLR Outputs • 2 x 250W Rms @ 8Ω / 2 x 400W Rms @ 4Ω 	5908
MIXHYB031	Hybrid M121200PUX 	<ul style="list-style-type: none"> • 8 Mono Mic/Line Channels (XLR, 1/4" Jack - Balanced) • 2 Stereo Line Ch's / 2 Mono Mic Channels • Low (80Hz), Mid (2.5KHz) - Hi (15KHz) EQ pots (+/-15 dB) • Gain, EFX Send, Monitor Send and Pan Pots • 60mm Level Fader • 16 Digital EFX Processor • MP3-USB / SD Card Media Player with Bluetooth • 7 Band Graphic EQ • Balanced XLR Outputs • 2 x 400W Rms @ 8Ω / 2 x 600W Rms @ 4Ω 	6947
MIXHYB032	Hybrid MD1818PUX 	<ul style="list-style-type: none"> • 12 Mono Mic/Line Channels (XLR, 1/4" Jack - Balanced) • 2 Stereo Line Channels • Low (80Hz), Mid (2.5KHz) - Hi (15KHz) EQ pots (+/-15 dB) • Gain, EFX Send, Monitor Send and Pan Pots • 60mm Level Fader • Dual 16 Digital EFX Processors • MP3-USB / SD Card Media Player with Record Function • 9 Band Graphic EQ • Quad Power amplifier • 2 x 600W Rms @ 8Ω for Sub-Bass • 2 x 300W Rms @ 4Ω for Mid-Tops 	11780

HYBRID DESK TOP POWERED MIXERS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
MIXHYB012	Hybrid MX1225PD	Stereo 8 Mic, Bass, Mid and Treble Eq/CH, DSP effects w 7 Band EQ, 500w rms/CH	7812

HYBRID SOUND CARD / AUDIO INTERFACE

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
SOUHYB001	Hybrid OPAL 22 	<ul style="list-style-type: none"> • 2 Channel IN/OUT Audio Interface / Sound Card • True 48V Phantom Power for full Mic Dynamic Range • Direct Monitor Function Routes Inputs Directly to Outputs • MIDI In/Out Interface • Complete USB Bus-Powered • Analogue to Digital Conversion via AKM AK5358 Converters, 24Bit/96KHz Resolution for Recording • X MOS USB Audio Interface Chipset • Low-Latency Asio Driver 	1530
Quantity 10 or more			1377

HYBRID+ WIRELESS MICROPHONES

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
------------	---------------	-------------	-------------



Hybrid+ Diversity 4.0



UHF True Diversity, 4 Receiver, 4 Handheld Package with Long Range External Antenna
 Package includes:
 4 x Hybrid+ D4R UHF True Diversity Variable Freq Rx
 4 x Hybrid+ D4T UHF Hand Held Variable Freq Tx
 1 x Hybrid+ D4I External Antenna Interface
 2 x Hybrid+ D4AB External Long Range Antennas
 2 x Microphone Stands
 1 x 3U ABS Flightcase
 All interlinking cabling included

21517

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
------------	---------------	-------------	-------------

UHF Receivers - To be paired with TH1 or TC1

MICHYB043	Hybrid+ R4	4 Channel, 200 Selectable Frequencies, 1U 19" Rack	4385
MICHYB042	Hybrid+ R8	8 Channel, 400 Selectable Frequencies, 2U 19" Rack	8840

UHF Transmitters - To be paired with R4 or R8

MICHYB044	Hybrid+ TH1	Handheld Transmitter - Cardoid Dynamic	1068
MICHYB046	Hybrid+ TB1	Beltpack Transmitter with Headset and Lapel Mic	1405
MICHYB045	Hybrid+ TC1	Conference Transmitter, Desk Top w LCD display	1422

HYBRID WIRELESS MICROPHONES

UHF MINI SERIES

UHF Single Microphone, Fixed Frequency
 Available in 10 different frequencies



STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
------------	---------------	-------------	-------------



MICHYB013	Mini U-SF Handheld 	UHF, Single Hand/Held, Fixed Freq	 1068
-----------	--	-----------------------------------	--



MICHYB014	Mini U-SF Beltpack 	UHF, Single Lapel and Headset, Fixed Freq	 1137
-----------	---	---	---

UHF DUAL SERIES

UHF Dual Microphone System, Fixed Frequency
 Available in 10 different frequencies



MICHYB015	Mini U-DF Handheld 	UHF, Dual Hand/Held, Fixed Frequency	 1485
-----------	--	--------------------------------------	--

MICHYB016	Mini U-DF Handheld/Beltpack 	UHF, Dual System Hand Held, Lapel and Headset, Fixed Frequency	 1557
-----------	---	--	--


HYBRID WIRELESS MICROPHONES VSF, VDF, USV MKIII and UDV MKIII


VHF SERIES

VHF Single Microphone, Fixed Frequency




STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
------------	---------------	-------------	-------------

MICHYB047	Hybrid V-SF Handheld 	<ul style="list-style-type: none"> Handheld VHF Wireless Microphone Balanced Line XLR Output Unbalanced 1/4" Jack Output 30 Meter Stable (Line of Sight) Audio Frequency Response: 40Hz - 15KHz Low Batt Indicator Quartz Crystal Oscillating Circuit 	1100
-----------	--	--	------

MICHYB048	Hybrid V-SF Lapel 	<ul style="list-style-type: none"> Lapel VHF Wireless Microphone Balanced Line XLR Output Unbalanced 1/4" Jack Output 30 Meter Stable (Line of Sight) Audio Frequency Response: 40Hz - 15KHz Low Batt Indicator Quartz Crystal Oscillating Circuit 	1100
-----------	---	---	------





MICHYB049	<p>Hybrid V-SF Headset</p> 	<ul style="list-style-type: none"> * Headset VHF Wireless Microphone * Balanced Line XLR Output * Unbalanced 1/4" Jack Output * 30 Meter Stable (Line of Sight) * Audio Frequency Response: 40Hz - 15KHz * Low Batt Indicator Quartz Crystal Oscillating Circuit 	<p style="text-align: center;">*</p> <p style="text-align: center;">*</p> <p style="text-align: center;">1166</p>
-----------	---	---	--

VHF Dual Microphone, Fixed Frequency

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
MICHYB050	<p>Hybrid V-DF Dual Hand</p> 	<ul style="list-style-type: none"> • Dual Handheld VHF Wireless Microphone • Seperate Balanced Line XLR Outputs • Unbalanced 1/4" Jack Mix Output • 30 Meter Stable (Line of Sight) • Audio Frequency Response: 40Hz - 15KHz • Low Batt Indicators • Quartz Crystal Oscillating Circuit 	<p style="text-align: center;">1417</p>
MICHYB051	<p>Hybrid V-DF Hand and Lapel</p> 	<ul style="list-style-type: none"> • Dual VHF Wireless Microphone (Handheld and Lapel) • Seperate Balanced Line XLR Outputs • Unbalanced 1/4" Jack Mix Output • 30 Meter Stable (Line of Sight) • Audio Frequency Response: 40Hz - 15KHz • Low Batt Indicators • Quartz Crystal Oscillating Circuit 	<p style="text-align: center;">1417</p>
MICHYB052	<p>Hybrid V-DF Hand and Lapel</p> 	<ul style="list-style-type: none"> • Dual VHF Wireless Microphone (Handheld and Headset) • Seperate Balanced Line XLR Outputs • Unbalanced 1/4" Jack Mix Output • 30 Meter Stable (Line of Sight) • Audio Frequency Response: 40Hz - 15KHz • Low Batt Indicators • Quartz Crystal Oscillating Circuit 	<p style="text-align: center;">1532</p>



UHF Single Microphone, Fixed Frequency

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
<p>MICHYB067</p> 	<p>Hybrid U-SF B Handheld</p> 	<ul style="list-style-type: none"> • Handheld UHF Fixed Frequency Wireless Microphone • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p style="text-align: center;">934</p>


STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
<p>MICHYB068</p> 	<p>Hybrid U-SF B Lapel</p> 	<ul style="list-style-type: none"> • Lapel UHF Fixed Frequency Wireless Microphone • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p style="text-align: center;">934</p>
<p>MICHYB069</p> 	<p>Hybrid U-SF B Headset</p> 	<ul style="list-style-type: none"> • Headset UHF Fixed Frequency Wireless Microphone • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p style="text-align: center;">1007</p>

UHF Dual Microphone, Fixed Frequency




STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
------------	---------------	-------------	-------------

<p>MICHYB070</p> 	<p>Hybrid U-DF B 2 X Handheld</p>		<ul style="list-style-type: none"> • Dual Handheld UHF Fixed Frequency Wireless Microphone • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1252</p>
<p>MICHYB071</p> 	<p>Hybrid U-DF B Handheld + Lapel</p>		<ul style="list-style-type: none"> • Handheld + Lapel UHF Fixed Frequency Wireless Mic • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1252</p>
<p>MICHYB072</p> 	<p>Hybrid U-DF B Handheld+Headset</p>		<ul style="list-style-type: none"> • Handheld + Headset UHF Fixed Frequency Wireless Mic • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1401</p>

UHF Single Microphone, Variable Frequency

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL	
<p>MICHYB073</p> 	<p>Hybrid U-SV B Handheld</p>		<ul style="list-style-type: none"> • Handheld UHF Variable Frequency Wireless Microphone • 2 x Groups w 10 Channels/Group = 20 Selectable Freq • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1244</p>
<p>MICHYB074</p> 	<p>Hybrid U-SV B Lapel</p>		<ul style="list-style-type: none"> • Lapel UHF Variable Frequency Wireless Microphone • 2 x Groups w 10 Channels/Group = 20 Selectable Freq • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1244</p>
<p>MICHYB075</p> 	<p>Hybrid U-SV B Headset</p>		<ul style="list-style-type: none"> • Headset UHF Variable Frequency Wireless Microphone • 2 x Groups w 10 Channels/Group = 20 Selectable Freq • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1314</p>

UHF Dual Microphone, Variable Frequency



STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL	
<p>MICHYB076</p> 	<p>Hybrid U-DV B 2 x Handheld</p>		<ul style="list-style-type: none"> • Dual Handheld UHF Variable Frequency Wireless Mic • 2 x Groups w 10 Channels/Group = 20 Selectable Freq • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1638</p>
<p>MICHYB077</p> 	<p>Hybrid U-DV B Handheld + Lapel</p>		<ul style="list-style-type: none"> • Handheld + Lapel UHF Variable Frequency Wireless Mic • 2 x Groups w 10 Channels/Group = 20 Selectable Freq • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1638</p>

<p>MICHYB078</p> 	<p>Hybrid U-DV B Handheld + Headset</p> 	<ul style="list-style-type: none"> • Handheld + Headset UHF Variable Frequency Wireless Mic • 2 x Groups w 10 Channels/Group = 20 Selectable Freq • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • 50 Meter Stable (Line of Sight) • Audio Frequency Response: 30Hz - 20KHz • Low Batt Indicator • LCD Display on Transmitter & Receiver 	<p>1769</p>
--	---	--	--------------------

UHF Series
UHF Single Microphone, 15 Variable Frequencies

<p>MICHYB053</p>	<p>Hybrid U-SV MK3 Handheld</p> 	<ul style="list-style-type: none"> • Handheld UHF Wireless Microphone • 15 User Selectable Groups / Channels • Full Colour TFT Display and Menu Settings • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • Digital Audio Transmission Technology • Ultra - Short Audio Latency • Audio Frequency Response: 30Hz - 20KHz 	<p>1893</p>
<p>MICHYB054</p>	<p>Hybrid U-SV MK3 Lapel</p> 	<ul style="list-style-type: none"> • Lapel UHF Wireless Microphone • 15 User Selectable Groups / Channels • Full Colour TFT Display and Menu Settings • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • Digital Audio Transmission Technology • Ultra - Short Audio Latency • Audio Frequency Response: 30Hz - 20KHz 	<p>1893</p>
<p>MICHYB055</p>	<p>Hybrid U-SV MK3 Headset</p> 	<ul style="list-style-type: none"> • Headset UHF Wireless Microphone • 15 User Selectable Groups / Channels • Full Colour TFT Display and Menu Settings • Balanced Line XLR Output • Unbalanced 1/4" Jack Output • Digital Audio Transmission Technology • Ultra - Short Audio Latency • Audio Frequency Response: 30Hz - 20KHz 	<p>1967</p>

UHF Dual Microphone System, 15 Variable Frequencies

<p>MICHYB056</p>	<p>Hybrid U-DV MK3 Dual Handheld</p> 	<ul style="list-style-type: none"> • Dual Handheld UHF Wireless Microphone • 15 User Selectable Groups / Channels per Transmitter • Full Colour TFT Display and Menu Settings • Separate Balanced Line XLR Outputs • Unbalanced 1/4" Jack Mix Output • Digital Audio Transmission Technology • Ultra - Short Audio Latency • Audio Frequency Response: 30Hz - 20KHz 	<p>2367</p>
<p>MICHYB057</p>	<p>Hybrid U-DV MK3 Hand and Lapel</p> 	<ul style="list-style-type: none"> • Dual UHF Wireless Microphone (Handheld and Lapel) • 15 User Selectable Groups / Channels per Transmitter • Full Colour TFT Display and Menu Settings • Separate Balanced Line XLR Outputs • Unbalanced 1/4" Jack Mix Output • Digital Audio Transmission Technology • Ultra - Short Audio Latency • Audio Frequency Response: 30Hz - 20KHz 	<p>2367</p>
<p>MICHYB058</p>	<p>Hybrid U-DV MK3 Hand and Headset</p> 	<ul style="list-style-type: none"> • Dual UHF Wireless Microphone (Handheld and Headset) • 15 User Selectable Groups / Channels per Transmitter • Full Colour TFT Display and Menu Settings • Separate Balanced Line XLR Outputs • Unbalanced 1/4" Jack Mix Output • Digital Audio Transmission Technology • Ultra - Short Audio Latency • Audio Frequency Response: 30Hz - 20KHz 	<p>2439</p>

2.4 GHz Series
2.4 GHz Single Microphone, 16 Variable Frequencies

<p>MICHYB064</p>	<p>Hybrid G-SV Handheld</p> 	<ul style="list-style-type: none"> • Handheld 2.4GHz Wireless Microphone • 16 User Selectable Groups / Channels • LCD Display and Menu Settings • Balanced Line XLR Output • 1/4" Jack Output • 30 Meter Coverage • No RF Noise • Metal Receiver Housing 	<p>2107</p>
-------------------------	--	--	--------------------

MICHYB065	<p>Hybrid G-SV Lapel</p> 	<ul style="list-style-type: none"> • Lapel 2.4GHz Wireless Microphone • 16 User Selectable Groups / Channels • LCD Display and Menu Settings • Balanced Line XLR Output • 1/4" Jack Output • 30 Meter Coverage • No RF Noise • Metal Receiver Housing 	2107
MICHYB066	<p>Hybrid G-SV Headset</p> 	<ul style="list-style-type: none"> • Headset 2.4GHz Wireless Microphone • 16 User Selectable Groups / Channels • LCD Display and Menu Settings • Balanced Line XLR Output • 1/4" Jack Output • 30 Meter Coverage • No RF Noise • Metal Receiver Housing 	2107



2.4 GHz Dual Microphone System, 16 Variable Frequencies

MICHYB061	<p>Hybrid G-DV Dual Handheld</p> 	<ul style="list-style-type: none"> • Dual Handheld 2.4GHz Wireless Microphone • 16 User Selectable Groups / Channels • LCD Display and Menu Settings • Balanced Line XLR Output • 1/4" Jack Mixed Output • 30 Meter Coverage • No RF Noise • Metal Receiver Housing 	2635
MICHYB062	<p>Hybrid G-DV Dual Handheld & Lapel</p> 	<ul style="list-style-type: none"> • Handheld & Lapel 2.4GHz Wireless Microphone • 16 User Selectable Groups / Channels • LCD Display and Menu Settings • Balanced Line XLR Output • 1/4" Jack Mixed Output • 30 Meter Coverage • No RF Noise • Metal Receiver Housing 	2635
MICHYB063	<p>Hybrid G-DV Dual Handheld & Headset</p> 	<ul style="list-style-type: none"> • Handheld & Headset 2.4GHz Wireless Microphone • 16 User Selectable Groups / Channels • LCD Display and Menu Settings • Balanced Line XLR Output • 1/4" Jack Mixed Output • 30 Meter Coverage • No RF Noise • Metal Receiver Housing 	2635

Aerobics Cordless Microphone

 <p>MICHYB007</p>	<p>Hybrid U-AV</p> 	<p>Aerobics Headset Microphone, Fixed Frequency, VHF</p>	1730
---	--	--	------

UHF IN-EAR MONITOR

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
MONHYB001	Hybrid U-MV END OF LINE / REDUCED PRICE	UHF, 16 Variable Freq, In-Ear Monitor	2619
 <p>MONHYB002</p>	<p>Hybrid U-MV MKII</p> 	UHF, True Diversity, 16 Variable Freq, In-Ear Monitor	3736

	<p>Hybrid U-MV MKII BELTPACK RECEIVER & IN-EAR MONITORS</p> 	<p>Beltpack Receiver & In-Ear monitors for U-MV MKII</p>	<p>1568</p>
---	--	--	-------------

WIRELESS CONFERENCE

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
MICHYB038	Hybrid V-C4	VHF, 4 Desk Top Mic System	3888
MICHYB039	Hybrid V-C8	VHF, 8 Desk Top Mic System	5948

HYBRID CORDED MICROPHONES

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
Dynamic and Condenser Mics			
MICHYB032	Hybrid D-1 MKII	Dynamic Microphone with switch and 4M cable - Single	227
MICHYB033	Hybrid D-1 MKII (3 Pack)	Dynamic Microphone with switch and 4M cables - 3 pack	652
MICHYB006	Hybrid D-2	Dynamic Microphone with switch and 4.5M cable	124
MICHYB036	Hybrid C1	Condenser Studio Mic w Shockmount and 3 meter XLR-XLR	740
MICHYB004	Hybrid C2	Condenser Pencil Mic	547
MICHYB005	Hybrid C2-3 (3 Pack)	Condenser Pencil Mic - 3 Pack	1562
MICHYB059	Hybrid P1	Dynamic Paging Mic, Desk Top with Gooseneck, Push-to-Talk, Includes 2 x 5 meter Microphone Cables, XLR-XLR & XLR Female - 1/4" Jack	565

Drum Mic Kits

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
MICHYB029	DX5B	5pc (3 Dynamic, 2 Condenser) with Mic clips and Carry case	3560
MICHYB030	DX7A	7pc (5 Dynamic, 2 Condenser) with Mic clips and Carry case	4027
MICHYB031	DX7B	7pc (5 Dynamic, 2 Condenser) with Mic clips and Carry case	4543

Accessories

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
ACCHYB009	Hybrid HMW5 Beanie Charcoal	Microphone Windsheilds, 5 Pack, Black	73
ACCHYB010	Hybrid HMW5 Beanie Rastafari	Microphone Windsheilds, 5 Pack (Black, Red, Yellow, Blue, Orange)	73
ACCHYB011	Hybrid MH01	Aluminium Alloy Studio Microphone Shock Mount Holder, Suitable for Microphones from 43-48mm in Diameter	197
MICHYB034	Hybrid HD004 MKII Headset - CREAM	5mm Headset Mic - Colours, Cream/White and Brown	201
MICHYB037	Hybrid HD004 MKII Headset - DARK BROWN	5mm Headset Mic - Colours, Cream/White and Brown	201
BATHYB001	Hybrid USV/UDV MKIII Rechargeable Battery	Rechargeable Battery for USV / UDV MKIII Hand Held Mic	82

HYBRID DJ CONTROLLERS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
CONHYB015	Hybrid DJ HMC2	<p>2 Channel + Mic DJ Controller</p> <p>Includes Full Version of Virtual DJ8 / Home Edition Software on a USB key</p> <p>Onboard Gain Control / Channel Bass, Mid & Treble EQ Control</p> <p>16 Large Effects Pads</p> <p>Dedicated Filters on Each Channel</p> <p>Large 5" Jog Wheels</p> <p>USB Powered</p> <p>Balanced Line Outputs</p> <p>Metal with Retro Walnut Casing</p> <p>Includes Vinyl Carry Bag</p>	4992



CONHYB016	 <p>Hybrid DJ HMC4</p> <p>NEW PRODUCT</p>	<p>4 Channel + Mic DJ Controller Includes Full Version of Virtual DJ8 / Home Edition Software on a USB key Onboard Gain Control / Channel Bass, Mid & Treble EQ Control 16 Large Effects Pads Dedicated Filters on Each Channel Large 5" Jog Wheels USB Powered Balanced Line Outputs Metal with Retro Walnut Casing Includes Vinyl Carry Bag</p>	5777
-----------	--	---	------

HYBRID DJ MIXERS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
MIXHYB042	 <p>Hybrid DJ DM2P</p>	<p>DJ Series, 2 Channel + 1 Mic mixer, USB MP3 Player, X-Fader, 5 LED bar display (Master / Cue), Switchable Line/Phono Inputs, Unbalanced RCA Outputs.</p>	1135
MIXHYB043	 <p>Hybrid DJ DM3P</p>	<p>DJ Series, 3 Channel + 1 Mic mixer, Low-Mid-High EQ per Channel, USB MP3 Player, X-Fader, 5 LED bar display (Master / Cue), Switchable Line/Phono Inputs, Unbalanced RCA Outputs.</p>	1613
MIXHYB044	 <p>Hybrid DJ CM3U</p>	<p>Club Series, 3 Channel + 1 Mic mixer, Low-Mid-High EQ per Channel, Inbuilt USB Soundcard (In&Out), 5 LED bar display / Channel, 10 LED bar Output display, XLR/Jack Combo Mic Input Connector, Low-High Mic EQ, X-Fader, Long 60mm Input Faders, Switchable Line/Phono Inputs, Balanced XLR Outputs, Unbalanced RCA Outputs, Unbalanced RCA Booth Output, Internal PSU.</p>	2968
MIXHYB045	 <p>Hybrid DJ CM3UFX</p>	<p>Club Series, 3 Channel + 1 Mic mixer, Low-Mid-High EQ per Channel, Inbuilt USB Soundcard (In&Out), DSP Effects processor, BPM Counter, 5 LED bar display / Channel, 10 LED bar Output display, XLR/Jack Combo Mic Input Connector, Low-High Mic EQ, X-Fader, Long 60mm Input Faders, Switchable Line/Phono Inputs, Balanced XLR Outputs, Unbalanced RCA Outputs, Unbalanced RCA Booth Output, Internal PSU.</p>	3184
MIXHYB046	 <p>Hybrid DJ CM4U</p>	<p>Club Series, 4 Channel + 2 Mic mixer, Low-Mid-High EQ per Channel, Inbuilt USB Soundcard (In&Out), 10 LED bar display / Channel, 10 LED bar Output display, XLR/Jack Combo Mic Input Connector, Low-Mid-High Mic EQ, Assignable X-Fader, Long 60mm Input Faders, Switchable Line/Phono Inputs, Balanced XLR Outputs, Unbalanced RCA Outputs, Unbalanced RCA Booth Output, Internal PSU.</p>	3011
MIXHYB047	 <p>Hybrid DJ CM4UFX</p>	<p>Club Series, 4 Channel + 2 Mic mixer, Low-Mid-High EQ per Channel, Inbuilt USB Soundcard (In&Out), DSP Effects processor, BPM Counter, 10 LED bar display / Channel, 10 LED bar Output display, XLR/Jack Combo Mic Input Connector, Low-Mid-High Mic EQ, Assignable X-Fader, Long 60mm Input Faders, Switchable Line/Phono Inputs, Balanced XLR Outputs, Unbalanced RCA Outputs, Unbalanced RCA Booth Output, Internal PSU.</p>	3491

HYBRID DJ HEADPHONES

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
HEAHYB001	 <p>Hybrid DJ HH101</p>	<p>DJ Headphones, 40mm Diameter Speaker, Sensitivity105dB, Detachable 3.5mm Jack-Jack Cable</p>	203

HEAHYB002	Hybrid DJ HH101B		DJ Headphones, Bluetooth or Wired Operation, 40mm Diameter Speaker, Sensitivity105dB, Detachable 3.5mm Jack-Jack Cable	300
HEAHYB003	Hybrid DJ HH201		DJ Foldable Headphones, 40mm Diameter Speaker, Sensitivity105dB, Detachable 3.5mm Jack-Jack Cable, Carry Pouch Included	326

HYBRID MI




STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL	
DRUHYB001	Hybrid MI HD5 GOLD BLACK		5 PC Drum Kit with Cymbals, Pedals, Throne & Sticks	6826
DRUHYB002	Hybrid MI HD5 GLOSS BLACK		5 PC Drum Kit with Cymbals, Pedals, Throne & Sticks	6826
DRUHYB003	Hybrid MI HD5 WINE RED		5 PC Drum Kit with Cymbals, Pedals, Throne & Sticks	6826
DRUHYB004	Hybrid MI HD5 BLUE		5 PC Drum Kit with Cymbals, Pedals, Throne & Sticks	6826
DRUHYB005	Hybrid MI HD5 SILVER		5 PC Drum Kit with Cymbals, Pedals, Throne & Sticks	6826
DRUHYB011	Hybrid HDR5 18" Ride Cymbal Stand	Hybrid HDR5 18" Ride Cymbal Stand (Does not include the Cymbal)	553	
DRUHYB012	Hybrid HDR5 18" Ride Cymbal	Hybrid HDR5 18" Ride Cymbal (Does Not include the Stand)	369	
DRUHYB006	HybridMI HD5R GOLD BLACK		5 PC Drum Kit with Cymbals, Including Ride Cymbal, Pedals, Throne & Sticks	7677
DRUHYB007	HybridMI HD5R GLOSS BLACK		5 PC Drum Kit with Cymbals, Including Ride Cymbal, Pedals, Throne & Sticks	7677
DRUHYB008	HybridMI HD5R WINE RED		5 PC Drum Kit with Cymbals, Including Ride Cymbal, Pedals, Throne & Sticks	7677
DRUHYB009	HybridMI HD5R BLUE		5 PC Drum Kit with Cymbals, Including Ride Cymbal, Pedals, Throne & Sticks	7677
DRUHYB010	HybridMI HD5R SILVER		5 PC Drum Kit with Cymbals, Including Ride Cymbal, Pedals, Throne & Sticks	7677







BEYMA LOOSE SPEAKERS





STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
18" Loose			
SPEBEY022	Beyma 18LEX1600Nd	1600W AES, 97dB 2.83V, 4" VC, 35Hz-1KHz, Allu Basket	9147
RECBY017	Beyma 18LEX1600Nd Recone Kit	18LEX1600Nd Recone Kit	2656
RECBY012	Beyma 18P1200Nd Recone Kit	18P1200Nd Recone Kit - Used for Audiocenter SW218	2589
SPEBEY023	Beyma 18PW1400Fe	1400W AES, 98dB 2.83V, 4" VC, 25Hz-1,8KHz, Allu Basket	7046
RECBY018	Beyma 18PW1400Fe Recone Kit	18PW1400Fe Recone Kit	2195
SPEBEY001	Beyma 18P1000Fe	1000W AES, 98dB 2.83V, 4" VC, 25Hz-2KHz, Allu Basket	6077
RECBY001	Beyma 18P1000Fe Recone Kit	18P1000Fe Recone Kit	2299
RECBY002	Beyma SM118/N Recone Kit	SM118/N Recone Kit	1800
15" Loose			
SPEBEY003	Beyma 15P1000Fe V2	1000W AES, 98dB 2.83V, 4" VC, 30Hz-2KHz, Allu Basket	5514
RECBY003	Beyma 15P1000Fe V2 Recone Kit	15P1000Fe V2 Recone Kit	2130
SPEBEY024	Beyma 15LX60V2	700W AES, 98dB 2.83V, 4" VC, 30Hz-1,5KHz, Allu Basket	4585
RECBY019	Beyma 15LX60V2 Recone Kit	15LX60V2 Recone Kit	2015
SPEBEY004	Beyma 15P80Fe	800W AES, 100.6dB 2.83V, 4" VC, 30Hz-5KHz, Allu Basket	5516
RECBY004	Beyma 15P80Fe Recone Kit	15P80Fe Recone Kit	2013
SPEBEY005	Beyma SM115/N	400W AES, 98dB 2.83V, 3" VC, 30Hz-2KHz, Allu Basket	2695
RECBY005	Beyma SM115/N Recone Kit		1669
12" Loose			
SPEBEY006	Beyma 12P80Fe	700W AES, 100dB 2.83V, 4" VC, 25Hz-4KHz, Allu Basket	4585
RECBY006	Beyma 12P80Fe Recone Kit	12P80Fe Recone Kit	1837

SPEBEY025	Beyma 12LX60V2	700W AES, 96dB 2.83V, 4" VC, 35Hz-2KHz, Allu Basket	3732
RECBEY020	Beyma 12LX60V2 Recone Kit	12LX60V2 Recone Kit	1824
SPEBEY007	Beyma SM112/N	400W AES, 97dB 2.83V, 3" VC, 35Hz-6KHz, Allu Basket	2562
RECBEY007	Beyma SM112/N Recone Kit	SM112/N Recone Kit	1272
SPEBEY026	Beyma 12WRS400	400W AES, 97dB 2.83V, 3" VC, 45Hz-4KHz, Steel Basket	2243
RECBEY021	Beyma 12WRS400 Recone Kit	12WRS400 Recone Kit	1393
8" Loose			
SPEBEY028	Beyma 8WR300	300W AES, 95dB 2.83V, 2" VC, 65Hz-4KHz, Allu Basket	1787
	Beyma 8WR300 Recone Kit	8WR300 Recone Kit	943
SPEBEY027	Beyma 8MI100	250W AES, 98dB 2.83V, 2" VC, 150Hz-7KHz, Allu Basket	1691
RECBEY022	Beyma 8MI100 Recone Kit	8MI100 Recone Kit	1100
COMPRESSION DRIVERS			
DRIBEY001	Beyma CP750/Ti	2", 90W AES, 110dB 2.83V, 600Hz-20KHz, X > 800Hz	4688
DIABEY001	Beyma CP750/Ti Diaphragm	CP750/Ti Diaphragm	1419
DRIBEY013	Beyma SMC60	2", 60W AES, 109dB 2.83V, 600Hz-18KHz, X > 800Hz	3636
DIABEY014	Beyma SMC60 Diaphragm	SMC60 Diaphragm	1436
DRIBEY002	Beyma CP755/Ti	1.4", 70W AES, 110dB 2.83V, 600Hz-20KHz, X > 800Hz	4427
DIABEY002	Beyma CP755/Ti Diaphragm	CP755/Ti Diaphragm	1419
DRIBEY003	Beyma CD1014Fe	1.4", 70W AES, 110dB 2.83V, 700Hz-19KHz, X > 1200Hz	1854
DIABEY003	Beyma CD1014Fe Diaphragm	CD1014Fe Diaphragm (Same as CD10Fe Dia)	735
DRIBEY004	Beyma CP380/M	1", 50W AES, 107dB 2.83V, 800Hz-20KHz, X > 1200Hz	2867
DIABEY004	Beyma CP380/M Diaphragm	CP380/M Diaphragm	1087
DRIBEY011	Beyma CP21F	1", 25W AES, 105dB 1W/1m, 3.5-20KHz, X> 5KHz	1810
DIABEY009	Beyma CP21F Diaphragm	CP21F Diaphragm	941
DRIBEY005	Beyma CD10Fe	1", 70W AES, 109dB 2.83V, 700Hz-19KHz, X > 1200Hz	1293
DIABEY005	Beyma CD10Fe Diaphragm	CD10Fe Diaphragm (Same as CD1014Fe Dia)	735

AUDIOCENTER SPEAKERS




STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL	
SA Series - Active				
SPEAUD005	Audiocenter SA312		12" Active 2-Way, Braincore™ DSP 96KHz Sampling / 24bit Precision, Class D Amplification, Mic / Line & Bluetooth Input Source, 3 Band EQ (Bass, Mids & Treble), Audiocenter Loaded, Wooden-Ply Cabinet with Black Finish, Genuine Neutrik, 500W Program, Max SPL (Cal): 129dB Program / 132dB Peak	8965
BAGAUD001	Audiocenter SA312 Vinyl Bag	Weatherproof Vinyl Bag, 8mm Padded Thickness, with robust Zip Front Opening, Audiocenter Embroidered Logo	1080	
SPEAUD007	Audiocenter SA315		15" Active 2-Way, Braincore™ DSP 96KHz Sampling / 24bit Precision, Class D Amplification, Mic / Line & Bluetooth Input Source, 3 Band EQ (Bass, Mids & Treble), Audiocenter Loaded, Wooden-Ply Cabinet with Black Finish, Genuine Neutrik, 500W Program, Max SPL (Cal): 131dB Program / 134dB Peak	10456
BAGAUD002	Audiocenter SA315 Vinyl Bag	Weatherproof Vinyl Bag, 8mm Padded Thickness, with robust Zip Front Opening, Audiocenter Embroidered Logo	1301	
SPEAUD023	Audiocenter SA3118		18" Active Sub-Bass Band Pass Design, Braincore™ DSP 96KHz Sampling / 24bit Precision, Class D Amplification, Audiocenter Loaded, Wooden-Ply Cabinet with Black Finish, Genuine Neutrik, 500W Program, Max SPL (Cal): 134dB Program / 137dB Peak	13588

SPEAUD015	Audiocenter SA3218 	Dual 18" Active Sub-Bass Band Pass Design, Braincore™ DSP 96KHz Sampling / 24bit Precision, Class D Amplification, Audiocenter Loaded, Wooden-Ply Cabinet with Black Finish, Genuine Neutrik, 1000W Program, Max SPL (Cal): 137dB Program / 140dB Peak	23889
BAGAUD003	Audiocenter SA3218 Vynil Bag	Weatherproof Vynil Bag, 8mm Padded Thickness, Top Slip On, Audiocenter Embroided Logo	1731
EA Series - Active			
SPEAUD003	Audiocenter EA508	8" active wooden loudspeaker. With Braincore™ DSP Technology. Customized Beyma HF driver and Audiocenter LF driver. Peak power: 2000W. Peak SPL: 129dB	12311
SPEAUD004	Audiocenter EA512	12" active wooden loudspeaker. With Braincore™ DSP Technology. Customized Beyma HF driver and Audiocenter LF driver. Peak power: 2000W. Peak SPL: 134.5dB	14669
SPEAUD006	Audiocenter EA515	15" active wooden loudspeaker. With Braincore™ DSP Technology. Customized Beyma HF driver and Audiocenter LF driver. Peak power: 2000W. Peak SPL: 136.5dB	16139
SPEAUD014	Audiocenter EA5118	Single 18" active wooden subwoofer. With Braincore™ DSP application Technology. Customized Audiocenter LF driver. Peak power: 2000W. Peak SPL: 137dB.	17686
SW Series - Sub Bass			
SPEAUD022	Audiocenter KLA218	Dual 18" subwoofer. Custom made Audiocenter drivers. Plywood. RMS Power(AES standard): 2000W . Impedance: 4ohm.	28168
SPEAUD046	Audiocenter SW118 	Single 18" subwoofer. Custom made Beyma Neodymium bass driver. Russian birch plywood. RMS Power(AES standard): 1000W . Impedance: 8ohm.	18310
SPEAUD045	Audiocenter SW218M 	Double 18" horn loaded subwoofer. Custom made BEYMA driver. Russia plywood. RMS Power(AES standard): 2000W . Impedance: 4ohm.	30460
SPEAUD002	Audiocenter SW218 	Double 18" subwoofer. Custom made BEYMA Neodymium bass driver. Russian Birch plywood. RMS Power(AES standard): 2400W . Impedance: 4ohm.	47551
Line array - Passive			
SPEAUD026	Audiocenter K-LA28 	Dual 8" Line Array 3 way loudspeaker. Custom made Beyma driver. Russian plywood. RMS Power: 50W (HF)/200W(MF)/200W(LF)(AES standard).	14578
BAGAUD005	Audiocenter K-LA28 Vynil Bag	Weatherproof Vynil Bag, 8mm Padded Thickness, with robust Zip Front Opening, Accessories Pouch for Cables & Mounting Bracket, Audiocenter Embroided Logo	1259
	Audiocenter K-LA28 (4PCS and Flightcase)	4 x K-LA28 Inside Flightcase and Castors	66948
FRAAUD004	Audiocenter K-LA28 Frame	K-LA 28 Fly-Frame	5885
SPEAUD027	Audiocenter K-LA851B	15" bass reflex. Russian plywood. RMS Power: 700W (AES standard). Standard with flying hardware and K-LA28 footprint	16400
STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
SPEAUD050	Audiocenter K-LA210 	Dual 10" 2 way Line array speaker. Custom made Beyma driver. Russian plywood. Power: 70W (HF)/250+250(LF) AES standard	20834


FRAUD007	Audiocenter K-LA210 FLY-FRAME	Pairs with KLA210DSP and KLA210	5955
Line array - Active			
SPEAUD037	Audiocenter K-LA28 DSP	Dual 8" Line Array 3 way loudspeaker design with built-in DSP. Custom made Beyma driver. Russian plywood.	24262
BAGAUD005	Audiocenter K-LA28 DSP Vinyl Bag	Weatherproof Vinyl Bag, 8mm Padded Thickness, with robust Zip Front Opening, Accessories Pouch for Cables & Mounting Bracket, Audiocenter Embroided Logo	1259
	Audiocenter K-LA28 DSP (4PCS and Flightcase)	4 x Active K-LA28 DSP Inside Flightcase and Castors	104559
SPEAUD048	Audiocenter K-LA28MA MASTER 	K-LA28MA - Dual 8" 3 way active DSP-controlled line array speaker. Custom made Beyma driver. Plywood. Class D amplifier from AUDIOCENTER. RMS Power:50W(HF),400W(LF) (AES standard). K-LA28SP - Dual 8" 3 way passive DSP-controlled line array speaker. Custom made Beyma driver. Plywood. RMS Power:50W(HF),400W(LF) (AES standard). SOLD AS A SET (K-LA28MA & K-LA28SP)	18741
SPEAUD049	Audiocenter K-LA28SP SLAVE 		11153
BAGAUD005	Audiocenter K-LA28 MA/SP Vinyl Bag	Weatherproof Vinyl Bag, 8mm Padded Thickness, with robust Zip Front Opening, Accessories Pouch for Cables & Mounting Bracket, Audiocenter Embroided Logo	1259
FRAUD006	Audiocenter K-LA28 DSP FLY-FRAME	Pairs with KLA28DSP and KLA28MA	5673
SPEAUD047	Audiocenter K-LA210 DSP 	Dual 10" Line Array 2 way loudspeaker design with built-in DSP. Custom made Beyma driver. Russian plywood.	30214
FRAUD007	Audiocenter K-LA210 DSP FLY-FRAME	Pairs with KLA210DSP and KLA210	5955
SPEAUD054	Audiocenter K-LA212 DSP	Dual 12" Line Array 2 way loudspeaker design with built-in DSP. Custom made Beyma driver. Russian plywood.	50419
FRAUD008	Audiocenter K-LA212 DSP FLY-FRAME	Pairs with KLA212DSP	9157
SPEAUD038	Audiocenter K-LA218 DSP 	Dual 18" active DSP-controlled subwoofer. Custom made AUDIOCENTER LF driver. Russian plywood.	36425

Line array / Sub Combo Package - Active

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
------------	---------------	-------------	-------------

AUDIOCENTER COMBO 1		AUDIOCENTER COMBO 1 <ul style="list-style-type: none"> • 2 x Audiocenter KLA28MA Active Line Source Speakers • 2 x Audiocenter KLA28SP Slave Line Source Speakers • 2 x Audiocenter KLA218DSP Active Dual 18" Sub-Bass • 2 x Audiocenter Pole Accessory Kits • 2 x Hybrid 15 meter Balanced Input Cables • 2 x Hybrid 2 meter Balanced Input Links • 5800Watt System • Class D and DSP 	132309
AUDIOCENTER COMBO 2		AUDIOCENTER COMBO 2 <ul style="list-style-type: none"> • 4 x Audiocenter KLA28MA Active Line Source Speakers • 4 x Audiocenter KLA28SP Slave Line Source Speakers • 2 x Audiocenter KLA218DSP Active Dual 18" Sub-Bass • 2 x Audiocenter Pole Accessory Kits • 2 x Hybrid 15 meter Balanced Input Cables • 2 x Hybrid 2 meter Balanced Input Links • 7600 Watt System • Class D and DSP 	189960
AUDIOCENTER COMBO 3		AUDIOCENTER COMBO 3 <ul style="list-style-type: none"> • 2 x Audiocenter KLA28MA Active Line Source Speakers • 2 x Audiocenter KLA28SP Slave Line Source Speakers • 2 x Audiocenter SA3218 Active Dual 18" Sub-Bass • 2 x Audiocenter Pole Accessory Kits • 2 x Hybrid 15 meter Balanced Input Cables • 2 x Hybrid 2 meter Balanced Input Links • 3800 Watt System • Class D and DSP 	95935

Column Speakers & Associated Bass

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
		Audiocenter L83 & Sub Column System * Self Powered System * 2 x Audiocenter L83 Column Array (8 x 3" Mid-High) * 2 x Audiocenter L83S Dual 12" Sub Bass * 2 x Audiocenter Coupling Poles	47316
SPEAUD012	Audiocenter L83	Passive Audiocenter Customised Neodymium 8 X 3" Mid-High Column Array. 131dB Calculated Max SPL.	6649
SPEAUD013	Audiocenter L83S	Active Audiocenter 2 x 12" Subwoofer, with Amplified Output connection for the L83 Column	16426
ACCAUD006	Audiocenter L83 & L83S Coupling Pole	Coupling Pole between L83S Subbass & L83 Column	582

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
------------	---------------	-------------	-------------



Audiocenter L85 Column System

* Self Powered System

- * 2 x Audiocenter L65 Column Array (6x5"LF + 4x1"HF)
- * 2 x Audiocenter L65A Amplifier & DSP Modules
- * 2 x Audiocenter L65 Flying Kit

48574

SPEAUD010	Audiocenter L65	Passive Audiocenter Customised 6 X 5" LF & Beyma 4 x 1" HF Column Array. 134dB Calculated Max SPL.	12447
AMPAUD001	Audiocenter L65A	Amplifier & DSP Module for the L65 Column	10228
ACCAUD002	Audiocenter L65&L65A Flying Kit	Flying Kit for L65 & L65A	1611



Audiocenter L65 & Sub Column System




* Self Powered System

- * 2 x Audiocenter L65 Column Array (6x5"LF & 4X1"HF)
- * 2 x Audiocenter L65S 18" Sub Bass
- * 2 x Audiocenter Coupling Poles

72944


SPEAUD010	Audiocenter L65	Passive Audiocenter Customised 6 X 5" LF & Beyma 4 x 1" HF Column Array. 134dB Calculated Max SPL.	12447
SPEAUD011	Audiocenter L65S	Active Audiocenter 18" Subwoofer, with Amplified Output connection for the L65 Column	23532
ACCAUD003	Audiocenter L65 & L65S Coupling Pole	Coupling Pole between L65S Subbass & L65 Column	493

AUDIOCENTER AMPLIFIERS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
AMPAUD020	Audiocenter MX3200	2 x 200W + 540W @8ohm stereo 2 x 350W+850W@4ohm stereo SUB: 1200W	11972
AMPAUD004	Audiocenter MX4400	4 x 260W@8ohm stereo, 4 x 400W@4ohm stereo	11298
AMPAUD005	Audiocenter MX6200	6 x 140W@8ohm stereo, 6 x 210W@4ohm stereo	11996
AMPAUD006	Audiocenter MX8200	8x140W@8ohm stereo, 8 x 210W@4ohm stereo	12751
AMPAUD022	Audiocenter A5.0 	2 x 600W@8ohm stereo, 2 x 900W@4ohm stereo	10731
AMPAUD023	Audiocenter A7.0 	2 x 800W@8ohm stereo, 2 x 1250W@4ohm stereo	12548
AMPAUD024	Audiocenter A13.0 	2 x 1300W@8ohm stereo, 2 x 1950W@4ohm stereo	15903
AMPAUD017	Audiocenter VA1201	2x1200W@8Ohm stereo, 2x1800W@4Ohm stereo, 2ohm stereo stable	18659

NUMARK - CLEARANCE


STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
------------	---------------	-------------	-------------

MIXNUM036	<p>Numark Stereo IO V2</p> 	<p>The stereo io from numark is a usb computer audio interface with inputs for line-level devices like a cd player and phono inputs for a vinyl turntable. there are also line-level rca outputs. the stereo io connects to a computer through usb. no software installation is required. the stereo io will simply plug in and play on both mac and windows computers.</p>	165
-----------	--	---	-----

DENON DJ - CLEARANCE
DJ CONTROLLERS - CLEARANCE

CONDEN008	<p>Denon MC6000</p> 	<p>4 channel/8 source real-time matrix mixer Comprehensive I/O to easily connect to other audio sources Stunning 24-bit high resolution audio engine Dual-deck functionality for 4 deck mixing High resolution 105mm Touch-Sensitive Jog Wheel Smooth 100mm long Pitch Slider with 14-bit resolution 8 Assign keys for fluid and comprehensive effects control Includes Serato DJ Intro Software Dual balanced mic inputs with independent FX and EQ Line 3/4 Thru to PC mode for set playback/recording High quality steel chassis and professional components</p>	7800
-----------	--	---	------

CD PLAYERS - CLEARANCE

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
CDPDEN001	<p>Denon DND4500</p> 	<p>The Denon DN-D4500MK2 Dual Digital Media Player allows you to play audio from CDs via its dual CD decks or from USB memory devices via its two USB ports. Supporting CDs, CD-Rs and CD-RWs in its dual CD deck setup, the DN-D4500MK2 also provides playback for MP3s, AACs, AIFFs and WAV files stored on external USB Flash Drives or HDD drives up to 2 terabytes.</p>	7800

SPEAKERS - CLEARANCE

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
SPEDEN001	<p>Denon SM50</p> 	<p>Dimensions (each): 12.5" x 10.1" x 8" Weight (each): 17.2 lbs Power configuration: Bi-amplified LF Driver size: 5.25 inch (135mm) HF Driver size: 1 inch (25mm) LF Driver amp: 50-Watt HF Driver amp: 40-Watt Input: XLR, balanced 1/4 inch (6.3mm), RCA Enclosure type: Ported Frequency range: 50 Hz to 20 kHz</p>	3000
SPEDEN002	<p>Denon Axis8</p> 	<p>Frequency Response: (-10dB) 60Hz-20KHz RMS 1000W / PEAK 2000W Maximum SPL @ 1m: 125dB Coverage: 90° x conical Transducer Low 8" Woofer, 2" voice coil Transducer High 1" Exit compression driver, 1.75" voice coil Connector: Input 1 (Line/MIC)-Combo/Input 2-Combo and RCA/THRU-XLR balanced Input Level: Line 0dBu/MIC -38dBu External Control: Volume Control/Power ON with green LED/clip limiter with red LED Electronic Protections: Thermal/Convection-Fan/Overload/Digital Lim./Compressor Dimension (HxWxD): 322 x 328 x 319 mm Weight (Approx.) 15kg / 33.07lb</p>	5667
SPEDEN003	<p>Denon Axis12s</p> 	<p>System Type: 12" Active Subwoofer Speaker System Power System: RMS 1000Watts/PEAK 2000Watts with DSP Frequency Response (-10dB) 35Hz-135Hz Maximum SPL@1m calculated 128dB Transducer Low: 12" Woofer, 3" voice coil Connector: Inputs-female XLR balanced/Full range output-male XLR balanced/HP output-male XLR balanced External Control: Volume Control / Phase Switch / Power on with Green LED / Clip Limiter with Red LED Electronic Protections: Thermal / Convection-Fan / Overload / Digital Lim. / Compressor Dimension: (HxWxD) 439x417x512 mm (17.3"x16.4"x20.2") Weight: 21.26 kg / 46.87 lb</p>	6210

MONKEY BANANA STUDIO MONITORS

STOCK CODE	BRAND / MODEL	DESCRIPTION	RETAIL INCL
GIBBON SERIES			
SPEMON019	Monkey Banana Gibbon Air - BLACK	Studio Monitor - Sold / Pair, 4" LF	4236

SPEMON020	Monkey Banana Gibbon Air - RED	3/4" Silk Dome Tweeter 1 x Active and 1 x Passive Monitor, 30Watt/Ch	4236
SPEMON021	Monkey Banana Gibbon Air - WHITE		4236
SPEMON001	Monkey Banana Gibbon5 - BLACK	Powered, 5 1/4" Bass, 1" Silk HF, 45Wand35W	3042
SPEMON002	Monkey Banana Gibbon5 - RED	Powered, 5 1/4" Bass, 1" Silk HF, 45Wand35W	3042
SPEMON025	Monkey Banana Gibbon5 - WHITE	Powered, 5 1/4" Bass, 1" Silk HF, 45Wand35W	3042
SPEMON007	Monkey Banana Gibbon5 - YELLOW	Powered, 5 1/4" Bass, 1" Silk HF, 45Wand35W	3042
SPEMON017	Monkey Banana Gibbon8 - BLACK	Powered, 8" Bass, 1" Silk HF, 80W and 30W	5473
SPEMON018	Monkey Banana Gibbon8 - RED	Powered, 8" Bass, 1" Silk HF, 80W and 30W	5473
SPEMON022	Monkey Banana Gibbon10 - BLACK	Powered, 10" Sub-Bass, 300W	9541
TURBO SERIES			
SPEMON008	Monkey Banana Turbo 4 - BLACK	Powered, 4" Bass, 1" Silk HF, 30Wand20W	5195
SPEMON003	Monkey Banana Turbo 4 - RED	Powered, 4" Bass, 1" Silk HF, 30Wand20W	5195
SPEMON014	Monkey Banana Turbo 4 - YELLOW	Powered, 4" Bass, 1" Silk HF, 30Wand20W	5195
SPEMON009	Monkey Banana Turbo 5 - BLACK	Powered, 5and1/4" Bass, 1" Silk HF, 50Wand30W	6288
SPEMON010	Monkey Banana Turbo 5 - RED	Powered, 5and1/4" Bass, 1" Silk HF, 50Wand30W	6288
SPEMON011	Monkey Banana Turbo 5 - YELLOW	Powered, 5and1/4" Bass, 1" Silk HF, 50Wand30W	6288
SPEMON004	Monkey Banana Turbo 6 - BLACK	Powered, 6 1/2" Bass, 1" Silk HF, 60Wand30W	7790
SPEMON012	Monkey Banana Turbo 6 - RED	Powered, 6 1/2" Bass, 1" Silk HF, 60Wand30W	7790
SPEMON015	Monkey Banana Turbo 6 - YELLOW	Powered, 6 1/2" Bass, 1" Silk HF, 60Wand30W	7790
SPEMON005	Monkey Banana Turbo 8 - BLACK	Powered, 8" Bass, 1" Silk HF, 80Wand30W	9339
SPEMON013	Monkey Banana Turbo 8 - RED	Powered, 8" Bass, 1" Silk HF, 80Wand30W	9339
SPEMON023	Monkey Banana Turbo 8 - YELLOW	Powered, 8" Bass, 1" Silk HF, 80Wand30W	9339
SPEMON006	Monkey Banana Turbo 10s - BLACK	Powered, 10" Sub Bass, 200W	15581
SPEMON016	Monkey Banana Turbo 10s - RED	Powered, 10" Sub Bass, 200W	15581
BABOON SERIES			
SPEMON024	Monkey Banana Baboon 6	Powered, 6.5" Kevlar Cone LF, Air Motion Transformer HF, 50W and 30W	9777